

LEARNING

THE

Radio Telegraph

CODE



BASIC
TRAINING
FOR RADIO
OPERATING



PRICE 25 CENTS

Published by the AMERICAN RADIO RELAY LEAGUE • West Hartford 7, Conn.



LEARNING

the Radiotelegraph Code



PUBLISHED BY
THE AMERICAN RADIO RELAY LEAGUE, INC.
WEST HARTFORD 7, CONNECTICUT, U. S. A.

Copyright 1951 by The American Radio Relay League, Inc. Copyright secured under the Pan-American Convention. International Copyright secured. This work is Publication No. 18 of The Radio Amateur's Library, published by the League. All rights reserved. No part of this work may be reproduced in any form except by written permission of the publisher. All rights of translation are reserved. Printed in U. S. A.

Quedan reservados todos los derechos

*Sixth Edition
Second Printing*

THE RUMFORD PRESS, CONCORD, NEW HAMPSHIRE, U. S. A.

Foreword



THROUGHOUT THE NATION the war brought great interest in learning the International Morse radiotelegraph code. Innumerable buzzer classes and radio courses sprung into being and thousands of people went industriously to work mastering the dots and dashes. Many requests were addressed to the American Radio Relay League, the national society of radio amateurs, to produce a piece of training literature that would be a reliable and helpful guide to that this booklet was written. It did that job well.

Today it has a twofold purpose. It furnishes guidance in learning to send and receive the code, a requisite to the attainment of an amateur radio operator license, to those thousands who are newly taking up one of the world's most fascinating avocations. It is of similar help to additional thousands who, in these troubled times, wish to acquire personal skills in advance of military service or commercial radio operator careers, or to make themselves directly useful in the vital communications end of civil defense preparations in which the nation is now engaged.

It is from an amateur background of long familiarity and experience that there comes the ingenious idea here outlined for learning the code. The emphasis on learning the *sound* of letters rather than the sequence of their dot-and-dash components is strictly in accord with modern thought in this field. The applicability of this technique to code learning has been thoroughly tested; it is unquestionably the best way, as is also attested by its employment in the schools of the Army and Navy.

There is something fundamental, almost universal, about this business of code. Its applicability far transcends radio and wire circuits. It is sent by blinker lights, by heliograph, by wig-wagging a flag. Automobile horns and the whistles of ships and locomotives can be "keyed" to make these signals, understandable to anyone who knows the code, and we have even heard an airplane pilot signaling a letter or two by manipulating his engine throttle. An unusual example, to be sure, but illustrating the thought that whenever there is any way of turning on and off for varying lengths of time anything that can be heard or seen, those who know this universal code have peculiar and often invaluable ability to communicate. So important is this knowledge, so frequent its benefits, that we have long thought that it should be imparted in the public schools, along with the ability to swim and to administer first aid.

You should know this code. It is the key to the first door of the fascinating hobby of amateur radio, the peacetime avocation of a hundred thousand enthusiasts. It is similarly a steppingstone to other radio fields. We hope this booklet gives you the help you need. Good luck!

A. L. BUDLONG
General Manager, A.R.R.L.

WEST HARTFORD, CONN.

Contents

Learning the Code	5
THE MECHANICS OF CODE — ELEMENT SOUNDS — LETTER SOUNDS — PRACTICE CIPHER GROUPS	
Learning to Send	10
KEY ADJUSTMENT — FORMING CHARACTERS — ADVANCED PRACTICE — SPECIAL SYMBOLS	
High-Speed Operation	15
COPYING BY TYPEWRITER — BUG SENDING — AUTOMATIC EQUIPMENT	
Operating on the Air	18
GENERAL OPERATING DATA — ABBREVIATIONS — MESSAGE FORM — LAND-LINE CHECK — NET OP- ERATION — LOG-KEEPING — RADIO OPERATOR LI- CENSES — CALL SIGNALS	
Code Practice	24
TONE SOURCES FOR PRACTICE — A CODE INSTRU- CTION TABLE — COMMERCIAL PRESS SCHEDULES FOR PRACTICE	
Class Instruction	29
EXERCISES IN RECEIVING AND SENDING	

LEARNING THE RADIOTELEGRAPH CODE

.....

Learning the Code

THE MECHANICS OF CODE—ELEMENT SOUNDS —LETTER SOUNDS—PRACTICE CIPHER GROUPS

You are about to learn a new language—the language of code.

The radiotelegraph code is essentially a language of sound. As such, it is quite difficult to illustrate in a book, and we shall have to ask that you follow each step closely and pay attention to every detail of learning as outlined in the paragraphs to follow.

One important preliminary: forget completely about "dots" and "dashes." Those terms were invented for the old land-line telegraph system and they have absolutely no place in a modern system of learning radiotelegraph code. Forget, too, about any other code chart or table you may have seen or memorized.

The Continental (International Morse) Code is the one used in all radio work. It consists of various combinations of sounds and spaces, forming letters of the alphabet, numbers, punctuation marks and procedure symbols. The sound usually takes the form of a high-pitched audio tone having a frequency of about 500 cycles per second (approximately C above middle C on the piano), more or less, depending upon the receiving operator's individual preference. Lacking an audio oscillator itself for practice, the best way to simulate the high-pitched sound of code in headphones is to whistle.

• THE MECHANICS OF CODE

To illustrate how closely allied are radio code and human speech, let us liken the mechanics of code to those of our own spoken English language. Human speech is made up of a number of pure sounds, such as "ah," "ee," "oh," and "oo" (as in "ooze"). We combine these to form other sounds, and those to form words. The sound of the letter I, for example, is not pure but it is made up of two others, "ah" and "ee," spoken in rapid succession.

The radiotelegraph code is similarly constructed, but actually it is much easier to learn since there are but two fundamental sounds. In reality, each sound is the same tone and differs

from the other only in length. The first is very short and staccato, the other somewhat longer (three times as long, actually). Since this high-pitched tone or whistling cannot very well be shown in print, for instruction purposes aural terms have been coined which closely duplicate the actual element sounds in code. We speak of the short sound as "dit," of the longer one as "dah." Various combinations of these sounds, properly interspersed with spaces, are used to represent the various letters of the alphabet just as are the sounds in the spoken language.

For purposes of explanation to you and to whoever might assist you, let us say that the sound "dit" is pronounced as "it" with a "d" before it. The sound "dah" is pronounced with "ah" as in "father." The sound "dah" is always stressed or accented—not in a different tone of voice, but slightly drawn out and the least bit louder. The sound "dit" is pronounced as rapidly and sharply as possible; for purposes of easy combination, as a prefix, it is often shortened to "di." When combinations of the sounds appear as one letter, say them smoothly but rapidly, remembering to make the sound "di" staccato, and allowing equal stress to fall on every dah. There should never be a space or hesitation between dits and dahs of the same letter.

These are simply convenient vocal terms to use in duplicating the sound of code. You should never think of a letter as being composed of certain separate sounds, but rather as a complete sound itself. You don't think of the spoken letter U, for example, as being composed of two separate and distinct sounds—yet actually it is made up of the pure sounds "ee" and "oo," spoken in rapid succession. You learned the spoken letter U as a sound unit itself. Similarly, you should learn code letters as sounds themselves, and not as combinations of other sounds. A skilled operator does not think of dits and dahs when copying, but actually hears the headphones speak words to him. He has mastered this new language. The sound "dah didididit dit" is just as familiar

The "5" should merely be five *staccato* dits in the same sequence and speed you practiced above; the zero should similarly be five dahs. "A" is our first character using both sounds. Make that di very short, the dah the usual length, properly stressed; it should have the same metric swing as does the word "to-day," rapidly spoken and strongly accenting "day." Similarly, the "didahdit" of "R" should have the same metric swing as "repeated," the second syllable strongly stressed, the final one not accented and as short as you can make it.

Spend at least one-half hour on this group; and preferably more, although your practice should then be split up into shorter periods. Take your time and learn the sounds of these letters thoroughly. Repeat them in "didah" language, and then whistle the characters. You will find it interesting to make up some words from this group of letters, such as:

ATE RAT TEAR 5Ø ERA RATE 95 ART TARE

You should immediately begin practicing copying down the characters your "instructor" calls out to you in sound. Copy them simulta-

neously speaking the letter, if you like. For the first copying practice it is well to print; in the transmission of non-English text, which you often will be getting for letter-practice, longhand letters are sometimes confused with each other. For example, L is mistaken for E, an uncrossed T for L, etc. The Army Signal Corps requires printing ability by its field operators, since much of the text handled is in code groups and errors would cause much difficulty in reading the actual message. Print until you are able to receive about ten words per minute, above which speed you will want to resort to longhand to keep up with the text.

Learn to print the characters rapidly and without conscious effort; your mental effort must be on reading the code sounds and not on your finger movements. Never look back over your copy when receiving, nor try to guess what word is coming; copy what is sent. If you do not immediately recognize a character, skip it and devote your full attention to the next one; if you try to think back, you doubtless will miss several letters in a row. By checking your written copy with the transmitted text, you can determine what letters are giving you trouble and give special attention to them.

Here is another group of letter-sounds. You are ready to learn them when you can *instantly* call out English letters for code sounds spoken to you, or vice versa. Before beginning their study, have your "instructor" review you on the first group; do not be so eager to learn fast that you forget old sounds! Intersperse learned sounds with new ones when studying this next group:

5 Ø E T A R
S L U Q J
H O N C V
I B Y P
W K Z M
D X F G
↓ 2 3 4
6 7 8 9

S	dididit
L	didahdidit
U	dididah
Q	dahdahdidah
J	didahdahdah

The first letter obviously is simply three staccato dits. L is more difficult; its metric swing is like that of "fraternity"; again, make dits rapidly, particularly the final ones, and stress the dah. U is similar to S with the final dit changed to a dah; practice the two letters interchangeably to get the rhythm. Q and J should be smooth; stress each dah equally, make the dit short.

Study these in the same manner as the previous group. You have nearly twice as many letters to remember now, so your progress will be a bit slower. Don't rush; learn each sound thoroughly before proceeding to the next. Speed will come later, and it will come rapidly later if you learn by sound. There are quite a number of words which can be made from the letters so far studied, more examples of which are here given:

Signal Corps operators learn this method of hand-printing letters, shown above in the groups by which you will learn letter-sounds.

SELL REQUEST JAR LURE RUSE STARE
 SUET SQUEAL JET QUEER SLATE JUTE
 QUART LESSER QUELL JUST TESLA SALES

Practice saying the sounds to yourself, particularly between study sessions. Occasionally you should have an operator who knows code check you on your progress.

Here is a third group, to be taken up only after you have learned the previous eleven characters well:

H	didididit
O	<u>dahdahdah</u>
N	<u>dahdit</u>
C	<u>dahdidahdit</u>
V	<u>didididah</u>

The first two letters should give no trouble. Be careful not to have a space in the sound for N; nor to make the dit anything but short. C can best be simulated by remembering our earlier exercise of alternating single dits and dahs; practice that again momentarily, and you should have no trouble.

When learning the sound of V, practice H and then make the final dit a dah; practice the two letters intermittently as you did U and S, repeating in your mind what letter is concerned with each sound. Again, some suggested practice words for the new letters:

COVERLET ALONE CANCEL VOCAL HOVER THE
 COLLECT NEVER THAT SHONE LATHE SHEET
 THESE CONQUEST THERE NEUTRAL SEVERE
 TENET RUNNER ENCLOSE RELUCTANT JOCLAR
 JOVE HELEN LUNAR CONCLAVE RECLUSE QUIVER

Here is a fourth group of letter sounds:

I	didit
B	<u>dahdididit</u>
Y	<u>dahdidahdah</u>
P	<u>didahdahdit</u>

By now you should have developed sufficient timing sense and code consciousness that you can pronounce new sounds without difficulty. Simply remember to keep characters smooth, without spaces.

In between practice periods, when convenient, notice street signs and posters containing these letters; when you see one you know, call out its code-sound. Keep this practice principle always in mind and use it a great deal; you will find a goodly amount of idle time you can put to good use — riding back and forth to work, or walking to the corner drugstore. Or even if you are not in the vicinity of signs, there are a number of short words you can practice saying to yourself in

sound language. Make your character formation snappy, leave a recognizable space between letters, plenty of space between words. Use both whistle and voice technique. We want to get you thinking subconsciously of code whenever you see letters and words. This spare-time practice is probably the most important single factor in the progress you make.

Try some words like these to gain familiarity with the new letters:

BOTTLE CORNCOB YESTERYEAR HONEY THIS
 POPPY JITTERS BATTERY BAY SISSY
 RECONCILIATE COUNCIL BONY PHONE JOIN
 SUPPER PAVE SHIP PAY CAPON NYLON COIN
 PYRITES COPY BOIL PEBBLE CAVITY VICIOUS

Now, another group:

W	<u>didahdah</u>
K	<u>dahdidah</u>
Z	<u>dahdahdidit</u>
M	<u>dahdah</u>

When these have been thoroughly learned, you may proceed to the final group:

D	<u>dahdidit</u>
X	<u>dahdididah</u>
F	<u>dididahdit</u>
G	<u>dahdahdit</u>

Here are some practice words for the last two groups:

WORK BUZZER ZERO SLOW HARK WARMER KIND
 JERK SUZANNA BUMP QUIRK MAKE WINK SIMMER
 MAP SKIM MILK TOMORROW WHOLESOME JAM
 QUALMS LOWLY WHARVES POMPON WAR MARK
 WOMANISH CAUSEWAY KNOW ERSATZ MINK WALTZ

DOCK KIND FINGER DOLORES DEXTEROUS GOLF
 KIDDER FIXTURES GOODLY JIGGER JINX FOGGY
 STUFFING DOG FLIGHT DRAUGHT FLING FOX GOD
 FADDIST GUFFAW DAGGER MEXICAN DODDERING
 TEXTILE EXCHANGE PARADOX XYLOGRAPE

You already have learned the two simplest numerals: five and zero. The others are:

1	<u>didahdahdahdah</u>
2	<u>dididahdahdah</u>
3	<u>didididahdah</u>
4	<u>dididididah</u>
6	<u>dahdidididit</u>
7	<u>dahdahdididit</u>
8	<u>dahdahdahdidit</u>
9	<u>dahdahdahdahdit</u>

PRACTICE CIPHER GROUPS

Cipher groups make better practice material than plain English because the student can't foresee the next letter. The groups below, taken from the operator's manual of the Signal Corps, are representative both of the practice material used in military schools and of ciphered messages actually used in the services. Their breakdown into 5-letter units makes it easy for you to determine your approximate speed, figured on the basis of 5 characters to a word.

With someone to send to you, this material of course provides the best possible copying practice. Check back for your errors, concentrate on the letters that are proving difficult for you. If you find yourself memorizing some of the combinations or their order, use each group backwards or start from the bottom of the page. There are plenty of practice possibilities in the following list, even for the experienced operator who is seeking higher speed on the typewriter.

OKICQ	CEMID	9 7 2 0 1	ALCRJ	MAIDP	JRNOL
2 4 6 8 0	JXEFY	EFXNK	DLZIK	7 6 3 2 1	EWSKM
CKTOG	EFMEY	LCKQH	PHVTX	7 0 3 6 5	HZGNA
AXBTR	4 9 2 8 5	OCYAA	HIMAD	OHWIM	SFMCQ
0 3 7 5 9	JNABD	ZLJBI	CPNZI	VTNEE	FMEMI
CWXCK	JBCYD	8 4 7 0 7	JBOAH	HELKF	ZDLYS
DKAKX	PGZUN	KDKNG	GYEVZ	4 7 3 8 2	KTLES
WQYFZ	CTILL	FHFUX	ARJZU	MRFXE	WBPCM
OMIWG	THQVI	NTVMG	DXAQN	4 0 3 6 7	SPEJN
HSPCK	HMOUS	WOHZR	1 1 9 0 2	OBRDK	VIODO
XGLDT	TVCPT	IPAQZ	0 6 1 4 3	PVFKQ	CUBEZ
8 0 7 0 1	CPTKO	FNZQJ	CPTKO	RBEFF	AXTRX
RKMOZ	2 0 1 8 4	PGMAE	IRAGO	KDIEY	KCNYQ
EKJCD	VNFBH	1 0 2 7 3	PZOKA	MDIDH	EIURY
DJHNG	DIEUY	DXNZE	OQUIW	0 9 1 6 5	MCNBS
HAHGJ	JCUWH	9 8 2 3 4	MCNUY	QZASU	IHDJI
LDOSJ	8 3 7 4 6	JEHDY	BCNBX	CVFZA	SCQZW
1 2 3 1 0	LKDOP	MCNCB	ZAQIZ	ZLKAM	ZJHFG
BAYQT	WEQFQ	PAOKU	3 0 2 1 0	JDMNF	DKUER
QNBAY	1 7 8 6 3	MDHNN	TQRYW	EIOUW	MXNBG
2 5 8 9 4	MVHVD	UEYTA	ZMNZB	ZXVGX	OIEUQ
JXHGG	APLKM	QYEUR	NDBGY	UYRHI	LKCCN
9 8 0 1 5	NDHBH	QWZXN	KDIOE	DYAFH	LPWCA
MBUDF	JTIOE	MNOPA	CVQAR	1 2 7 5 4	OEVAN
AEIOU	MNLFQ	KQZAX	NASTF	PONDL	FAWZX
1 3 5 7 9	YOUMK	LARDO	CFGIL	NPQRT	QWERT
CJRNO	VOIUM	MQECV	CADXA	SNKAD	CUTYR
YOUMK	1 2 7 0 9	BEXZB	TTLOR	KOBDZ	RGLBH

Learning to Send

KEY ADJUSTMENT — FORMING CHARACTERS — ADVANCED PRACTICE — SPECIAL SYMBOLS

It is important that you should learn the correct sound of code letters thoroughly before ever touching a telegraph key. If you do not know how a code letter should sound, no amount of playing with a key will teach you. When you are at the point where you can unhesitatingly call out each letter as your "instructor" pronounces or whistles the sound, you are ready to learn how to handle a key. First, however, you need some device to produce a tone. A buzzer set will serve the purpose, but a much better tone source is the vacuum-tube oscillator since it duplicates the audio-frequency beat note a radio operator hears. Construction data on both types are given near the end of this booklet.

• KEY ADJUSTMENT

A telegraph key is simply an on-off switch in convenient form for rapid manipulation. Pressing the key knob closes the electrical circuit and produces the "mark" or sound; releasing it allows the contact to break, producing the space or no-signal period. Correct key adjustment is that adjustment which fits your particular touch, and it is important that you arrive at the correct adjustment before attempting to use the key. A reliable rule is that there should be a vertical movement of about one-sixteenth inch at the key knob. This is measured from the top surface of the knob. It is set by the rear screw adjustment. When the knob's top surface goes down about one-sixteenth inch upon pressing the key, you have the approximate "average" spacing between the key contacts. In making any key adjustment, be sure to loosen the lock nuts first, so that you do not strip the threads.



Illustrating the correct position of the hand and fingers for the operation of a telegraph key.

Tighten all lock nuts when you complete the adjustment. The contact points should be perfectly aligned by means of the side screws. There should be a very slight degree of side play, between the two side screws. These screws should be tightened, then loosened just a bit so that the key moves freely and does not bind. Re-check the contacts after this adjustment to be sure they are true, making any slight readjustment necessary.

Although the "one-sixteenth inch" rule is a good one to follow for first adjustment, the amount of vertical movement can later be changed to suit your particular "fist." The spring tension, likewise, must be set for the individual operator. Some prefer a heavier spring than others. The primary consideration is to send *good code*; how you have your key adjusted to do this depends on what you find best for you. However, it should be remembered that too heavy a spring tends to make your sending "choppy," causing you to "clip" your dabs and dits as well as being tiring for long periods of sending. Similarly, too light a spring tends to cause you to run characters together, there being insufficient control of the key. Remember, you are making the characters, the key isn't! Generally speaking, a somewhat heavy spring allows better control, particularly of dots. With a spring of "featherweight" tension, the dits are likely to run away from you and you will find yourself slurring them. No treatise on key adjustment ever can solve the individual's problems in this line. Only by personal use can you find the correct adjustment for yourself.

There is a definite sending posture which should be observed. Sit upright in your chair, square with the operating table, with your arm on a line with the key. The key knob should be about eighteen inches from the front edge of the operating table, allowing room for the elbow to rest on the table. The muscle of the forearm should support the weight, and the wrist should be off the table. A table about thirty inches in height is best. The key may be fastened by means of wood screws directly to the table if one is available for permanent use. Otherwise, it may be fastened to a rectangular piece of thin board such as three-ply veneer, about six inches wide and two feet long.

The manner of grasping a key knob is also the choice of the individual operator. When learning, place the thumb against the left edge

of the key knob, the first finger on top of the knob at the rear and lapping over the rear edge just a bit; and the second finger against the right edge of the knob, about in the center or slightly to the rear of center. In no event should the grip be tense. The first and second fingers should be slightly arched, not held out straight. The third and fourth fingers should be permitted to curl naturally toward the palm of the hand, but they should not be tightly clenched. Keep the fingers, hand and wrist relaxed at all times.


Now that you are all set, you can begin sending practice. Before taking up letter-sounds, it is best to achieve smoothness and facility with element sounds, as we did in learning by voice. Begin by making a series of dits — ten or more in a row. Make them evenly spaced, precise, a bit slower than the speed at which you learned the voice-sounds. Work on both dits and dahs, and then alternate, just as you did in voice work. Here again a metronome, or a substitute such as someone rapping on the table for you, will be a valuable timing guide. Remember to synchronize your sending at four dits, or two dahs, per beat. Make the beats about 60 per minute — one per second — as compared to the 100 in receiving practice. Synchronize your sending with the spoken sounds, if you wish. Keep your wrist flexible; allow it to bob up and down with your sending. If you find that your fingers or whole arm are doing the work, stop, and start over again. Be particularly careful to make dahs smooth and full; the tone should be almost continuous, broken only for that tiny instant the key contacts open.

● FORMING CHARACTERS

Once the rhythms of dits and dahs have been mastered, we can proceed to the consideration of the correct formation of each character. This is an important consideration, for if we do not make every letter and numeral correctly we shall never send good code. There can be no characters sent incorrectly. It is one thing to know how we want a character to sound but another thing to make it sound that way! Let's analyze the correct manner in which to make each character. Starting with the basic letters, E and T, practically every character is composed of combination of other characters. A study of the correct rhythm for each character (how it sounds when sent correctly) discloses that certain groups of letters and numerals are associated. It is urged that you practice the characters in accordance with the following plan. The letters listed in each group are more or less associated and it is recommended that practice be "by groups," with each letter mastered in the order given within each group. Keep your speed at the level at which you make a minimum number of errors. Accuracy and perfection come first — speed will come with

practice. Here again, it is well to have someone skilled in code check your progress occasionally.

Group No. 1: The characters E, I, S, H, and 5. With the correct dit-rhythm mastered, you can



The essential features of a simple telegraph key.

send all of these dit characters. If you experience any difficulty, go back and send a series of evenly-spaced dots (dididididit, etc.). When your wrist responds, send a 5, using the same rhythm as for the longer series . . . send an H likewise, etc. This same dit-rhythm carries over into other characters which are made up of didah combinations.

Group No. 2: The characters T, M, O and Ø. These were covered under the subject of correct dah-rhythm. Little difficulty is usually encountered in making dah-characters, if, however, you find yourself sending them jerkily, go back and practice the dah-series exercise (dahdahdah dahdahdahdahdah, etc.) until you regain the feel of this action.

Group No. 3: The characters A, R, L, W, J, I and P. These all have as their groundwork the letter A (didah). First master that letter by sending several times a smooth didah, didah, didah, keeping the space between the dit and dah equal only to one dit. Then send an R (didahdit), which is actually the letters AE sent together as one character. Always bear in mind that the space between any parts of a character is the same length as a dit. Next try an L (didahdidit), which is actually AI sent as one character. Next send W (didahdah), thinking of it as AT sent together. If you can send A successfully, you can send R, L and W similarly. The letter J (didahdahdah) should be thought of as WT sent together.

The numeral 1 (didahdahdah) should be considered as JT sent as a single character. It will be noticed that these combinations give a smooth continuity for each character. The letter P (dihdahdit) should be considered as WE sent as one smooth character. Care must be taken in sending each of these characters that no additional space is left between the two letters making up the complete character. For example: although P is WE, take care that you do not leave more than one dit-length between the W and E. The overscore indicates that the two letters are sent rhythmically as one sound (didahdahdit).

Group No. 4: The characters U, F, 2, V, 3 and 4. Master first the letter U (dididah). Do not think of U as any combination of letters; think of it only as dididah sent smoothly. (A dangerous misconception is to think of U as the letters IT; avoid this, or your character is apt to sound jerky.) Think only of the sound dididah. Next, tackle the letter F (dididahdit), using the basic

letter U as a foundation. F is actually UE sent as one character. If you can send U, you can send F. The numeral 2 (dididahdah) is made up of the letters UM sent together; think of it this way and you will get a smooth 2. The letter V (dididah) must not be considered as any combination of letters. (A common fault is to consider V as ST, resulting in a jerky character.) Think of V only as the sound-combination dididah. Practice this, using the dit-rhythm, until you send a smooth letter V. One of the most difficult characters for many operators is the numeral 3 (dididahdah); it is too often sent jerkily (as SM). To send a smooth numeral 3, think of it as VT sent together; there you will have the smooth continuity of a correct 3. Conquer the letter V and you will have no trouble making 3. The numeral 4 must be considered only as the sound-combination dididididah. Do not attempt to consider the 4 as composed of any letter-combinations (as HT), or you will get a jerky character. In sending the 4, use the same dit-rhythm as you do for the 5, making the last unit a dah instead of a dit (dididididah).

Group No. 5: The characters N, D, B, 6, 8, 9 and X. The N, of course, is merely a reversal of A. Practice the N (dahdit) by sending several times a smooth dahdit, dahdit, dahdit, keeping the space between the dah and dit equal only to one dit. In making a D (dahdit), avoid making it sound jerky (as TI). Think of it only as the combination of sounds dahdit, sent evenly. Likewise, the letter B (dahdidit) must be thought of only as the combination dahdidit. (It is a mistake to think of B as a letter-combination, such as TS; this results in a jerky character.) The numeral 6 calls for the same rhythm as a numeral 5, except that our first unit is a dah rather than a dit. Think of 6 only as the smooth sound-combination dahdidit, evenly spaced. The numeral 8 (dahdahdahdit) must not be considered as the combination OI; this results in jerkiness. It is best to think of it only as the rhythmic combination dahdahdahdit. However, the combination MD, with care taken not to leave additional space between M and D, will give you a correct 8. The numeral 9 (dahdahdahdit) calls for the same dah-rhythm as does the numeral 6, with the exception that the last unit is a di instead of a dah. The letter X (dahdididah) should be considered only as the combination dahdididah. (Avoid thinking of it as letter-combinations, such as DT or TU; these tend to result in a jerky character.) In practicing X, think only of the rhythmic dahdididah, dahdididah, etc.

Group No. 6: The characters G, Q, Z, 7, K, C and Y. Consider the letter G (dahdahdit) as the sound-combination dahdahdit. With care to keep the spacing correct it might be thought of as ME sent together, but it should never be thought of as TN. (This usually results in an uneven character.) Next, send a Q (dahdahdidah), considering it

TABLE OF CORRECT SOUND-COMBINATIONS For Sending Practice

Consider each letter as its individual rhythmic sound-combination. If you have difficulty forming certain letters, to make them sound right, try the letter-combinations suggested, mastering the first letter, then adding the second unit, sending the whole as one character.

- A — di-dah (not ET)
- B — dah-di-di-dit (not TS)
- C — dah-di-dah-dit, or KE (not TR or NN)
- D — dah-di-dit (not TI)
- E — dit
- F — di-di-dah-dit, or UE (not IN)
- G — dah-dah-dit, or ME (not TN or TTE)
- H — di-di-di-dit
- I — di-dit
- J — di-dah-dah-dah, or WT (not EO or AM)
- K — dah-di-dah (not TA or NT)
- L — di-dah-di-dit, or AI (not ED)
- M — dah-dah
- N — dah-dit (not TE)
- O — dah-dah-dah (not TTF)
- P — di-dah-dah-dit, or WE (not EG or AN)
- Q — dah-dah-di-dah, or MA (not GT)
- R — di-dah-dit, or AE (not EN)
- S — di-di-dit
- T — dah
- U — di-di-dah (not IT)
- V — di-di-di-dah (not ST)
- W — di-dah-dah, or AT (not EM)
- X — dah-di-di-dah (not DT or TU)
- Y — dah-di-dah-dah, or KT (not TW or NM)
- Z — dah-dah-di-dit, or MI

- 1 — di-dah-dah-dah-dah, or JT
- 2 — di-di-dah-dah-dah, or UM (not IO)
- 3 — di-di-di-dah-dah, or VT (not SM)
- 4 — di-di-di-di-dah
- 5 — di-di-di-di-dit
- 6 — dah-di-di-di-dit (not TH)
- 7 — dah-dah-di-di-dit (not MS)
- 8 — dah-dah-dah-di-dit, or MD (not OI)
- 9 — dah-dah-dah-dah-dit
- φ — dah-dah-dah-dah-dah

as \overline{MA} sent as one character. (Avoid thinking of Q as GT, which makes for jerkiness.) The letter Z (dahdahdidit) may be considered as \overline{TD} sent together smoothly, although it is better to consider it only as the sound dahdahdidit. The numeral 7 (dahdahdidit) can safely be considered only as the sound-combination dahdahdidit, sent evenly. (A common mistake is to think of 7 as MS, a jerky combination.) The letter K (dahdidah) must be thought of only as the sound dahdidah, smoothly executed. (Do not think of K as any letter-combinations, as TA or NT, both resulting in unevenness.)

Probably the most troublesome of all letters is C (dahdidahdit). In order to get a smooth character C is recommended that it be thought of as the combination \overline{KE} sent as one character. Here you will find a smooth rhythm, as opposed to the combination TR or NN, which are almost sure to result in jerkiness. In actual practice many operators have found the \overline{KE} combination their answer to correct formation for the letter C. Similarly, the letter Y (dahdidahdah) should be considered as \overline{KT} , sent together smoothly, as opposed to TW or NM. \overline{KT} will give you a rhythmic Y. Master the letter K and you will have no trouble with C or Y.

In all of the above examples, it should be emphasized that the overscored letter-combinations represent one sound-combination, not the *two* sounds of each individual letter concerned. For example: KT stands for dahdidahdah (Y), one rhythmic sound; *not* dahdidah space dah, two separate letter-sounds. In practicing all characters, repeat the sound of them aloud to yourself. (Example: In practicing B, repeat to yourself dahdidit, dahdidit, dahdidit, etc.)

Determine your difficult characters and practice them until you master them. With the correct formation of each character as a basis we can proceed to combine them into words, giving consideration to correct spacing between characters and between words. With incorrect formation of even one character, our sending will lack that

"something" which distinguishes between the perfect sender and the run-of-the-mill. That is why we must first consider each character separately and practice each separately until we master them all. Then, and then only, should we start sending words.



• ADVANCED PRACTICE

To become expert in transmitting good code, after you have thoroughly learned each letter and numeral and can both send and copy letters without hesitation, your best practice is to listen to commercial automatic tape stations. Perfectly-sent code can be accomplished only by a machine, and you want to get fixed in your mind, indelibly, the correct formation of each and every code character and in particular the associated spaces. Notice the formation of each letter, the spaces left between letters and words, and the proportion in length of dits to dahs.

One of the best methods for deriving this association is to find a commercial or other tape station sending at about your maximum receiving speed. A few schedules of press transmissions which will be helpful in practice are given on an adjoining page. Listen to the transmissions as you would at a musical concert, concentrating on assimilating every detail.

The spaces between words may seem exaggerated, simply because you have probably been running yours together. A score of other details where the automatic transmission is different than yours will very likely show up in the same text. From all this you will learn where your own faults lie and be able to correct them.

If you can locate a tape station sending double (repeating each word) you can get excellent rhythm practice. Set up an audio oscillator alongside your short-wave receiver so you can hear both simultaneously. As each word comes through the receiver fix it in your mind; then, as the tape repeats it, send the same word on your oscillator simultaneously with the tape, as closely to perfect synchronism as possible. Perhaps you will find yourself leaving too much or too little



This chart shows the mechanical relations between code element-sounds, letter-sounds and word-sounds.

space between characters, or making certain dahs too long — these are the most common errors. Remember that all inaccuracies are yours, and profit accordingly. By such constant practice you will learn the proper rhythm and precision of perfect code. It's bound to work itself, subconsciously, into your sending.

Probably the most important single factor in sending ability is this sense of proper spacing. While it can be much more easily obtained by listening to tape than by visual study, the student should understand the mechanical relation of the various marks and spaces, as shown in the chart on page 13.

• SPECIAL SYMBOLS

In transmitting text there of course is a need for code symbols for punctuation marks, and some special procedure signals to facilitate rapid transmission. The important ones are:

Period	<u>didahdidahdidah</u>
Comma	<u>dahdahdidahdah</u>
Question mark	<u>dididabdhahdit</u>
Double dash	<u>dahdidididah</u>
End of message	<u>didahdidahdit</u>
End of work	<u>didididahdidah</u>
Wait	<u>didahdididit</u>
Invitation to transmit	<u>dahdidah</u>

Others which you might encounter in future code work, and which you therefore should learn after you become reasonably proficient with the previous characters, are:

Hyphen	<u>dahdididididah</u>
Parentheses	<u>dahdidahdahdidah</u>
Colon	<u>dahdahdahdididit</u>
Semicolon	<u>dahdidahdidahdit</u>
Quotes	<u>didahdididahdit</u>
Error	<u>dididididididit</u>
Apostrophe	<u>didahdahdahdahdit</u>
Fraction bar	<u>dahdididahdit</u>
Underscore	<u>dididahdahdidah</u>
Percent	<u>didahdahdidahdidahdit</u>
Understood	<u>didididahdit</u>
Attention	<u>dahdidahdidah</u>
Separation ¹	<u>didahdididah</u>

Special foreign-language characters:

ä	<u>didahdidah</u>	ch	<u>dahdahdahdah</u>
á, â	<u>didahdahdidah</u>	ñ	<u>dahdahdidahdah</u>
é	<u>dididahdidit</u>	õ	<u>dahdahdahdit</u>
ü	<u>dididahdah</u>		

¹ This signal is used in transmitting number text, to separate whole numbers from fractions. With the text "1½," for example, the operator would transmit "1 didahdididah ½," so the receiving operator would not copy "½."

High-Speed Operation

COPYING BY TYPEWRITER — BUG SENDING — AUTOMATIC EQUIPMENT

IN high-speed copying a new principle is involved. It is one you will reach automatically if you progress sufficiently far in your practice, but it is worth explanation here.

When one first learns the code by sound, he learns letters first. (In some cases, students studying visually learn *parts* of letters first, but we have tried to obviate that error by teaching code sounds in letter-units.) With a good deal of practice, one may slowly increase his speed of copying until he reaches a certain point — differing with various individuals — which is the maximum speed at which he can copy individual letters without having them seem to run together or blur in his mental thought. The average is around 28 words per minute.

• WORD SOUNDS

Progress beyond that point must be on a new principle of copying, then. It is simply the process of copying by *word-sounds* instead of letter-sounds. An operator capable of receiving, say, 25 words per minute, can listen to 35 or 40 w.p.m. text and easily pick out the shorter, more common words such as "the," "and," "but," and so on. He can do so not only because he is copying *word-sounds* and not letter-sounds. A skilled operator does not hear letters, but actual syllables and words. The code sound "didit dahdit dahdahdit" (the familiar suffix "ing"), for example, is mentally heard by the skilled operator as a complete sound and not as three different letters; again, it is as if someone had pronounced the syllable to him.

However, there is no secret to the attainment of this ability, except continued practice. You can help yourself, though, by having someone send to you rapidly (about 10 w.p.m. above your normal receiving speed) the common words and syllables such as *and, of, the*, and so on. However, nothing can equal the practice obtainable by copying commercial tape transmissions.

It should be pointed out that one important prerequisite to high-speed copying is ability to spell. Since you do not hear letters, but entire word-sounds, spelling of a word on the typewriter is up to you. True, it was sent only one way, but since you did not hear individual letters you do not know exactly which were sent; you know only what the word sounded like to you. You must know the spelling of words before you can recognize them from their code

sounds and be able to transcribe them correctly to the typewritten page.

• COPYING BY TYPEWRITER

The mark of a good receiving operator is ability to make perfect copy at high speeds on the typewriter. Ability to read rapid code "in your head" means little; what counts is what you can transcribe to paper correctly. Since the limit of handwriting ability is about 30 words per minute, one must resort to a "mill" for copy at higher speeds. This necessitates skill as a touch typist; no "hunt-and-peek" typist ever became a really good operator.

The first step, then, is to acquire that ability — by home study in a standard course, getting someone to tutor you if possible, or by attendance at some school such as an evening public school. Your typing should be nearly faultless in accuracy before you attempt code copy, although a high speed is not necessary immediately. For practice, your typewriter should be placed on a table separate from that supporting the code practice oscillator or receiver, as the case may be. A portable typewriter table, on roller casters, is excellent. Sponge-rubber pads under the typewriter feet will help eliminate vibration.

Use standard letter-size paper, and double-space between lines. Do not try to capitalize any letters at first; all lower-case type will suffice until you become proficient. Do not attempt to copy from a loudspeaker, for even with the so-

These common English words and syllables, if sent to you by a good operator at high speeds, make excellent practice for acquiring the ability to grasp word-sounds in code.

THE	ONS	ITS	THAT	WHICH
ING	ESS	WHO	HAVE	THEIR
AND	AVE	HIM	WITH	THERE
ION	PER	MAY	FROM	WOULD
ENT	BUT	OUT	WERE	THESE
HER	NOT	OUR	THEY	SHALL
TER	DAY	UNT	WILL	GREAT
COM	INE	NOW	THIS	OTHER
ALL	ONE	YET	WHAT	ABOUT
CON	SUB	TWO	MORE	THOSE
MAN	WAS	OWN	UPON	COULD
EST	YOU	OLD	LIKE	FIRST
FOR	HIS	NEW	SUCH	MIGHT
ATE	HER	CAN	INTO	AFTER
ERS	SHE	ANY	TIME	TRANS
NCE	HAS	TED	VERY	RADIO



A student at the Enlisted Men's School at the Signal Corps' Fort Monmouth, N. J., Enlisted Men's Division gets slip-reading practice at a high-speed operating position transcribing inked tape on a typewriter.

called noiseless variety of "mill" its racket will be interference to the code sounds. Use 'phones. For sustained periods of practice, a set of sponge-rubber earphone pads will be found comfortable. If you find the headset cord getting in your way, bring the leads off the back instead of the front of your body.

Pick a station on your receiver sending at a speed you can comfortably copy, or, if you are using a code machine, set its speed accordingly. Do not expect your first hour or so of practice to be encouraging; you have to learn coordination between typing and the mental processes of copying, and that takes time. It is like the old trick of trying to pat one's head and rub one's stomach simultaneously — it's not so easy as it sounds.

In practicing, do not listen and then type ferociously for a second . . . and listen . . . and type hurriedly again. Your typing must be dissociated, consciously, from your code reception. After you are able to handle this first speed, pick stations sending a bit faster (or step up the code machine), so that you get about 90 per cent of the text; when you copy solid, again step up the speed.

● "BUG" SENDING

The complement of high-speed receiving is of course high-speed sending. You should never let your sending speed outstrip your receiving speed, however; if that does happen, it simply means that your conception of the code is mechanical rather than in terms of sound. A *semi-automatic* key, or "*bug*," can be used for speeds higher than obtainable on a "straight"

key, but in no event should a student attempt to handle a bug until he has mastered the regular key. The semi-automatic key is a mechanical device which produces a series of dits (when the proper lever is tripped) by means of a vibrating contact. Dahs are made in the usual manner, although the operating knobs work in a horizontal instead of a vertical motion. Relieved of the fatigue of tense motions involved in making rapid dits, the fingers are able to tap out code of much higher speed.

The position of the bug should be similar to that of the straight key. The arm again should be relaxed, and the right side of the hand should rest on the table immediately in front of the key. To the left of the control paddle is the thumb, which when moved to the right trips the dit vibrator; to the right of the paddle are the index and second fingers (some operators prefer to use only one), which when moved to the left operate the dah contact, similar to a


straight key set on edge.

Operating motions consist of an easy roll of the wrist and hand from one side to the other. With the key connected to a tone source, practice sending a series of dits, then of dahs, then of alternating single sounds — just as we did in learning voice sounds. Take letter-sounds in that sequence, as well. Before attempting to use a bug in actual operating, you should become proficient with it through practice with an audio oscillator and headphones.

● AUTOMATIC EQUIPMENT

Government radiocommunications stations and commercial companies with a great deal of message traffic use intricate machines to speed up the flow of text from origin to destination. At the transmitting end is a Kleinschmidt or similar *perforator*, which has the appearance of an oversized typewriter. Actually, it punches holes in a paper tape in a certain pattern depending upon the keyboard letters that are struck. This tape is then run through a "keying head," a gadget with electrical contacts which operate through the punched holes and transform the punched patterns into the dits and dahs of code letters. The tape may be run through so rapidly that the keying of the transmitter is at speeds beyond the capability of a receiving operator to copy by ear — sometimes as high as 150 or 200 words per minute, while the limit of aural reception is about 70 w.p.m.

For reception of this high-speed material, a *tape recorder* is used. This device consists, basically, of an ink-fed pen at the end of a lever



At the top, above the corresponding text letters, is shown the appearance of inked slip as it comes from the recorder. The same text is shown below in the representation of Wheatstone perforated transmitting tape. The latter is distorted in length to make it coincide with the slip text. The center line of small perforations fits the driving-wheel gear teeth. Of the larger holes, the top row operates a "make" contact relay; the bottom row a "break" contact relay.

activated by an incoming signal. The pen rests lightly on a moving paper tape and makes a representation of the dits and dahs in outline form, somewhat like the adjoining illustration. This tape, pulled by a small motor, is passed across the front of the receiving operator's typewriter, and its content is read and copied on the "mill" by the operator. It is seldom that the average student gets opportunity to practice with such a system unless he purchases one of the moderate-priced amateur recorders that have been available on the market; but fortunately it does not take a great deal of practice to become proficient in "reading slip" if one is already a skilled sound operator.

In such high-speed stations an operator is often required to be familiar with the teletype machine. This has a keyboard generally similar to a typewriter, although some rows of letters are slightly offset. With a few minutes' practice a skilled typist can adjust himself quickly to the new key locations. Of principal importance in teletype-writer operation is a precise, even manipulation; each key should be sharply struck in smooth, even sequence.

• THE SUBCONSCIOUS MIND

A person just learning to drive a car has no time for conversation; his every mental and physical effort is bent toward operating the car. Yet

after a few months' experience he can carry on a conversation, occasionally watch the scenery, smoke a cigarette, etc. — because he has learned to drive automatically, subconsciously. A good high-speed operator reacts instinctively, subconsciously, to incoming code — just as a good typist automatically taps out words without thinking of the position of the individual letter-keys.

This may hurt, but the reader may as well know the truth: the ability is accomplished principally by practice and more practice. Think in code, talk in code, visualize code in place of street signs; make it second-nature, just as is the use of the English language.

Psychologists tell us we can help develop our subconscious minds by mentally concentrating on one subject and physically engaging in another. For example, we might try reciting Lincoln's Gettysburg address while simultaneously writing the Lord's Prayer — or better, while copying it on a typewriter. Practice copying code, to typewriter or in longhand, while carrying on a conversation with someone in the room. Send code with "bug" or straight key, while also engaged in conversation on another subject. This sort of mental exercise will help you separate your conscious thought from your subconscious reactions so that the latter may devote themselves to code copying.

Operating On the Air

GENERAL OPERATING DATA — ABBREVIATIONS — MESSAGE FORM
— LAND-LINE CHECK — NET OPERATION — LOG-KEEPING —
RADIO OPERATOR LICENSES — CALL SIGNALS — "Q" CODE

THE radiotelegraph code is used for record communication. Aside from ability to copy at high speeds, then, a good operator is noted for his neatness and accuracy of copy. It is evident that an operator should copy what is sent, and if there is any doubt about a letter or word he should query the transmitting operator about it.

An operator with a clean-cut, slow, steady method of sending has a big advantage over the poor operator. Good sending is a matter of practice, but patience and judgment are just as important qualities of an operator as a good fist. Very often, transmission at moderate speeds moves traffic more quickly than faster but erratic sending. In hand operating, unusual words should be sent twice, the word repeated following transmission of "?". A transmitting operator who is notified of interference on his frequency, either static or man-made, should adjust this speed of sending to require the least number of "fills." Every transmitting operator should have facilities for monitoring to check the accuracy of his sending. Accuracy comes first.

To this end, an operator copying in long-hand should use extreme care in writing, so there will be no chance of confusing an "l" with an "e", and the like. On a typewriter, best practice is always to double-space between lines, write ten words to a line with an extra space or two after the fifth word in each line, triple-space between lines every fifth line. This is for the purpose of rapidly determining the number of words in a message as it is sent. As one gains mill-copying skill, he will be able to typewrite subconsciously in this pattern, an example of which is here shown as a portion of text:

• ABBREVIATIONS

To speed up radiotelegraph communication, a number of standard and special abbreviations have been devised. As time is a factor, uniform practices in operating are necessary to insure a ready understanding by both operators, so proficiency in the commonly-used abbreviations is to be desired. Some of those prescribed by the regulations attached to the International Telecommunications Convention for all radio services follow:

C	Yes
N	No
W	Word(s)
AA	All after (used after a question mark to request a repetition)
AB	All before (similarly)
AR	End of transmission
AS	Waiting period
BN	All between
BQ	Reply to a request
CL	I am closing my station
CQ	General call to all stations
JM	Make a series of dashes if I may transmit
	Make a series of dots to stop my transmission
K	Invitation to transmit
MN	Minute(s)
NW	Now
OK	We agree (or It is correct)
RQ	Indication of a request
UA	Do you agree
WA	Word after (to be used after a question mark to request a repetition)
WB	Word before (similarly)
ADS	Address (similarly)
PBL	Preamble (similarly)
SIG	Signature (similarly)
TXT	Text (similarly)
SYS	Refer to your service telegram
CFM	Confirm (or I confirm)

IN FULL FORCE STOP THE ATTACK WILL BE SUPPORTED BY
BOMBARDMENT AVIATION WITH LIGHT AND MEDIUM TANKS IMMEDIATELY PRECEDING THE
ARTILLERY UNITS STOP ATTACHED TO EACH DIVISION WILL BE UNITS
OF THE SIGNAL CORPS FROM FORT MONMOUTH NEWJERSEY UNDER COMMAND OF
MAJOR J WORTHINGTON SMITH WHOSE DUTIES WILL BE SUPPLYING POINT
TO POINT COMMUNICATION FOR STAFF HEADQUARTERS STOP THIRTY FIVE HIGH
SPEED OPERATORS WILL BE REQUIRED BY EACH STAFF HEADQUARTERS FOR
THE VOLUME OF TRAFFIC EXPECTED DURING THESE

MSG	Prefix to radiotelegram
REF	Reference to (or Refer to)
RPT	Repeat (or I repeat)
SVC	Prefix indicating a service telegram
TFC	Traffic
P	Prefix indicating a private radiotelegram
NIL	I have nothing to send you
XXX XXX XXX DE...	urgent signal indicating message to follow regarding safety of mobile station or persons in sight therefrom (PAN is similarly used by aircraft);
TTT TTT TTT DE...	safety signal sent before meteorological warning messages and those concerning safety of navigation; SOS SOS SOS DE... , distress signal sent only by mobile stations in grave danger when requesting assistance (MAYDAY is the radiophone distress call similarly used).

There are also a number of abbreviations used by amateurs and to some extent by commercial operators. They originate with the old press codes in some cases; in others they have been concocted by individual operators and subsequently have found their way into universal use. We list below some of the more frequently-encountered ones. While some are purely arbitrary, it will be noted that others are simple phonetic spellings, some are the first and last letters of a word, some simply eliminate vowels, others use the letter X to replace part of a word, etc.:

ABT	About
AMP	Ampere
BCL	Broadcast listener
BK	Break
BN	Been, all between
BUG	Semi-automatic key
CK	Check
CL-CLD	Closing station; call; called
CUD	Could
CUL	See you later
CW	Continuous wave
DL-DLVD	Delivered
DX	Distance
FB	Fine business, excellent
FREQ	Frequency
GA	Get answer, Go ahead
GB	Good-bye
GBA	Give better address
GE	Good evening
GG	Going
GM	Good morning
GN	Gone, good night
GND	Ground
HI	Laughter, high
HR	Here, hear
HV	Have
HW	How
LID	"Lid," a poor operator
MG	Motor-generator
MILS	Milliamperes
ND	Nothing doing
NIL	Nothing
NR	Number, near
OPN	Operation
OP-OPR	Operator
OT	Old timer, old top
PSE	Please
R	Are, all right, O.K.
RAC	Rectified alternating current
RCD	Received
RCVR	Receiver
RI	Radio Inspector
SED	Said
SEZ	Says
SIG-SG	Signature
SIGS	Signals
SINE	Sign, personal initials, signature

SKED	Schedule
TU-TNX	Thanks
TNG	Things
TMW	Tomorrow
UR-S	Your, you're, yours
VY	Very
WD-S	Word, words
WED	Worked
WKG	Working
WI	Will
WAT	What
WUD	Would
WX	Weather
XMTR	Transmitter
YL	Young lady
73	Best regards
88	Love and kisses

In the text of a message, however, no words should be abbreviated by the operator unless they are so written by the sender. If the text includes punctuation, it should be spelled out in English.

• MESSAGE FORM

Each radio communication service — commercial, amateur, military — prescribes its own message form, but basically all are generally similar to the example given below. A message is broadly divided into four parts: (1) the preamble; (2) the address; (3) the text; (4) the signature. More specifically, a typical message contains the following elements:

- Number (of this message)
- Station of origin
- Check (number of words in text)
- Place of origin
- Time filed
- Date
- Address
- Text
- Signature

Therefore, it might look like this:

NR 34 WLTK JH 13

CHICAGO ILL 450 PM MAY 12 1942

CAPT WM MONTGOMERY

MUNITIONS BLDG

WASHINGTON DC

SIXTH CORPS AREA HAS 68

MEN AVAILABLE FOR ACTIVE DUTY

FIXED SERVICE REGARDS

HUNTER WLTK

This is obviously the 34th message (of that day or that month, as the policy of the station prescribes) from station WLTK. The "JH 13" is the "sine" of the operator plus the number of words in the message text. All operators designate themselves with a personal sine to be used on message traffic and on the air; in most cases it consists of the operator's initials.

As an example of what procedure would be followed in the transmission of a commercial message, let us assume that a passenger aboard the S.S. *Coastwise* wishes to notify a friend of his

arrival. Station WKCZ aboard the ship calls a shore station (WSC) and the following ensues:

WSC WSC WSC DE WKCZ WKCZ WKCZ P AR K
WKCZ WKCZ WKCZ DE WSC ANS 700 K
WSC WSC WSC DE WKCZ P 1 CK12 SS COAST-
WISE 0827 MAY 10 BT MISS JANET SHANNON 18
LAMBERT STREET BOSTON BT ARRIVE PIER 18
TONIGHT LOVE BT JOHN AR K
WKCZ DE WSC R 1 K
WSC DE WKCZ QRU SK
WKCZ DE WSC R SK

Many other designations are used in the preamble to indicate the type of message. The above message uses a P (paid) before the number.

Sometimes parts of a message are not received correctly, perhaps due to static or momentary interference by another station. In that event the interrogation (dididahdidit) is used between the last word received correctly and the first word received after the interruption; there is no excuse for repeating the entire message to obtain a few lost words. Appropriate international abbreviations for getting message "fills" have been previously shown. For example, if the receiving operator for the ship message quoted above had missed the number of the pier of arrival, he might send:

PIER ?? TONIGHT, OR RQ PIER TONIGHT,

whereupon the transmitting operator would say,

PIER 18 TONIGHT

and stand by for acknowledgment of receipt (R).

Use R (received) only when an entire transmission has been correctly received. K (invitation to transmit) should be used at the end of each transmission while in communication with another station, and after CQ calls. AR (end of transmission) should be used at the end of messages during communication, and at the end of a call to indicate when so used that communication is not yet established. SK (end of work) should be used by an operator when signing off with another station.

• LAND-LINE CHECK

The land-line or "text" count, consisting of the count of only the words in the body or text of the message, is now probably most widely used. (The "cable" count covers all words in the address and signature as well, probably accounting for its unpopularity.) When in the case of a few exceptions to the basic rule in land-line checking, certain words in address, signature or preamble are counted, they are known as extra words and all such are so designated in the check right after the total number of words.

The check includes:

- 1) All words, figures and letters in the body, and

- 2) The following extra words:

(a) Signature except the first, when there are more than one (a title with signature does not count extra, but an address following a signature does).

(b) Words "report delivery," or "rush" in the check.

(c) Alternate names and/or street addresses, and such extras as "personal" or "attention."

Examples: "Mother, Father, James and Henry" is a family signature, no names counted extra. "John Brown, Second Lieutenant" or "Richard Johnson, Secretary Albany Auto Club" are each one signature with no words counted as extra. An official title or connection is part of one signature, not extra. "Research Department, Smith, Jones and Brown" as a signature would count three extra words, those italicized after the first name counting as extras. The check of a message with ten word text and three such extras in the signature would be "CK 13 3 extra."

Dictionary words in most languages count as one word irrespective of length of the word. In counting figures, a group of five digits or less will count as one word. Bars of division and decimal points may constitute one or more of the digits in such a group. It is recommended that, where feasible, words be substituted for figures to reduce the possibility of error in transmission. Detailed examples of word counting are about as difficult in one system of count as another.

Count as words dictionary words taken from English, German, French, Spanish, Latin, Italian, Dutch and Portuguese languages; initial letters, surnames of persons, names of countries, cities and territorial subdivisions. Abbreviations as a rule should be used only in service messages. Complete spelling of words is one way to avoid error. Contractions such as "don't" should be changed to "do not." Examples:

Emergency (English dictionary).....	1 word
Nous arriverrons dimanche (French dictionary) . .	3 words
DeWitt (surname).....	1 word
E.L.B.D. (initials).....	4 words
United States (country).....	1 word
President Hoover (steamship).....	1 word
Prince William Sound.....	3 words
M.S. City of Belgrade (motor ship).....	2 words

EXCEPTIONS

A.M., P.M.....	1 word
F.O.B. (or fob).....	1 word
OK.....	1 word
Per cent (or percent).....	1 word

The best practice is to spell out all such when it is desired to send them in messages. In groups consisting of letters and figures each letter and figure will count as one word. The one exception to this is that amateur call signals sent as a group count as one word. In ordinal numbers, affixes d, nd, rd, st, and th count as one word. Abbrevia-

tions of weights and measures in common use count as one word each. Examples:

10 000 000 (figures).....	2 words
Ten millions (dictionary words).....	2 words
5348 (figures).....	1 word
67.98 (figures).....	1 word
45½ (figures and bar of division).....	1 word
3rd (ordinal number and affix).....	2 words
WIBDI.....	1 word

Groups of letters which are not dictionary words of one of the languages enumerated, or combinations of such words, will count at the rate of five letters or fraction thereof to a word. In the case of combinations each dictionary word so combined will count as a word. In addition USS, USCG, etc., written and sent as compact letter-groups, count as one word. Examples:

Tyfa (artificial 5 letter group).....	1 word
Adcol (artificial 6 letter group).....	2 words
alright, alright (improperly combined).....	2 words
Dothe (improperly combined).....	2 words
ARRL.....	1 word

At the request of sender the words "report back delivery", asking for a service showing success or failure in delivering at the terminal station, may be inserted after the check; or "rush" or "get answer" similarly, such words counting as extras in the group or check designation as just covered by example. "Phone" or "Don't Phone" or other sender's instructions in the address are not counted as extra words. In transmitting street addresses where the words east, west, north or south are part of the address, spell out the words in full. Suffixes "th", "nd", "st", etc., should not be transmitted. Example: Transmit "19 W 9th St" as "19 West 9 St." "F St NE" should be sent, "F St Northeast." When figures including a decimal point are to be transmitted, add the words "ent dot" in the check.

Isolated characters each count as one word. Words joined by a hyphen or apostrophe count as separate words. Such words are sent as two words, without the hyphen. A hyphen or apostrophe each count as one word. However, they are seldom transmitted. Two quotation marks or

parenthesis signs count as one word. Punctuation is never sent in radio messages except at the express command of the sender. Even then it is spelled out.

• NET OPERATION

Many amateur groups and military communications units operate in "net" fashion, wherein one station (at the headquarters of the unit) is designated as net-control station (NCS) to direct the business of the net. The operation of all stations in the same net is on one single frequency, so that any one operator may hear any other station(s) without retuning his receiver. "Break-in" is advantageously employed here — the receiver is kept running during transmissions so that nearly simultaneous two-way communication is possible.

Briefly, the procedure in net operation is as follows: The NCS calls the net together at a pre-announced time and using a predetermined call. Immediately, station members of the net reply in alphabetical (or some other predetermined) order, reporting on the NCS' signal strength and stating what traffic is on hand and for whom. The NCS acknowledges, meanwhile keeping an account of all traffic on hand, by stations. He then directs the transfer of messages from one station to another, giving preference to any urgent traffic so indicated at roll-call. When all traffic has been distributed and it is apparent there is no further business, the NCS will close the net, in most cases maintaining watch on the net frequency for any special traffic which might appear.

• LOG-KEEPING

FCC requires nearly every radiocommunication station to keep a complete operating record, or log, including such data as times and dates of transmissions, stations contacted, message traffic handled, input power to the transmitter, frequency used, and signature or "sine" of the operator in charge.

Log-keeping procedure differs with each class of communications service. A typical page from

DATE TIME	STATION CALLED	CALLED BY	MIS- SED ON DIAL	MIS- SIGNALS RPT	MY SIGNALS RPT	FREQ MC	EM- UL- SION TYPE	POWER INPUT WATTS	TIME OF ENDING QSO	OTHER DATA
10-20-47										
6:15 PM	WPTQD	X	3.65	589X	569X	3.5	A-1	250	6:43	Lots of the! - Raid 6, sent 10.
7:20	CQ	X				7				
7:21	X	W4TH1	7.24	369	579X				7:32	Too much ARM! Jaw it up.
9:32	W3UA	X				3.95	A-3	100		Just I was snowed under.
10-21-47										
7:05 AM	YK4DY	X	14.03			14	A-1	250		Answered a W6
7:07	AC4YN	X	14.02							ND.
7:09	YK2ADW	X	14.07	339	559X				7:20	Sydney, Australia - First YK!!
7:31	CQ	X								No luck
7:42	W6RBQ	X	14.05	589	579				8:02	Had to RRT for breakfast - Miss chit
8:02		off								

an amateur radio station log, prepared on the standard ARRL form, is shown above. Being that of the amateur service, the example here shown is quite free in style, yet it is illustrative of the form and data generally required.

• RADIO OPERATOR LICENSES

Except in the military services, and with certain additional exceptions for some types of routine operations in railroad and aircraft radio, no one may operate a radio transmitter without possessing the necessary government operator license. The penalties for unlicensed operation are severe. Licenses are issued in this country by the Federal Communications Commission, in two broad classes: amateur and commercial. As implied in the names, a commercial license permits its holder to operate a radio station for hire, while an amateur license is usable only for experimental communication "with a personal aim and without pecuniary interest." Under the Communications Act of 1934, FCC may issue licenses only to U. S. citizens. For every license an examination is required, varying in scope according to the privileges conferred by the license. Licenses are normally issued for a term of five years, and may be renewed upon application if the applicant can show recent use of the license privileges.

An applicant for an amateur operator license must appear at one of the examining points of the FCC and pass a code test of sending and receiving at the rate of five or thirteen words per minute, depending upon the class of license, and a written examination on radio rules and regulations as well as basic theory and practice. If he lives more than 125 miles airline from an FCC examining point, however, he may arrange to take the examination by mail. For more complete information on amateur licenses, you may write to the American Radio Relay League, West Hartford 7, Conn. Among other aids, the League publishes a companion booklet, *The Radio Amateur's License Manual*, which treats this subject in detail, including paraphrased questions and answers for the examination and the complete text of the FCC amateur regulations.

Commercial radio operator licenses are issued in several classes, with a different scope of authority for each. The first-class licenses carry the greatest privileges and naturally have the most inclusive requirements; at the lower end of the scale, in fact, the "licenses" are actually called "permits" or "authorizations" to indicate their lesser scope. FCC commercial written examinations are divided into elements, thus:

- Element 1 — Basic law
- Element 2 — Basic operating practice
- Element 3 — Basic radiotelephone
- Element 4 — Advanced radiotelephone
- Element 5 — Radiotelegraph operating practice
- Element 6 — Advanced radiotelegraph
- Element 7 — Aircraft radiotelegraph
- Element 8 — Ship radar techniques

Each license requires the passing of certain combinations of these elements, as follows:

Radiotelephone:

- Third Class — Element 1, 2
- Second Class — Elements 1, 2, 3
- First Class — Elements 1, 2, 3, 4

Radiotelegraph:

- Third Class — Elements 1, 2, 5; 16 w.p.m. code test, usually coded groups
- Second Class — Elements 1, 2, 5, 6; 16 w.p.m. code test
- First Class — Elements 1, 2, 5, 6; 25 w.p.m. code test; service endorsement on second-class license

In addition, there are several "restricted" classes of permits available in special cases for limited purposes.

By writing to the Federal Communications Commission in Washington, D. C., you may learn which is the local office nearest you. Write the latter for data on exact time and day of commercial examinations, and to make an appointment. Simultaneously request the necessary application blanks so you can arrange for notarization in advance; if you already hold an amateur license, duplicate proof of citizenship is not necessary. Each examination element requires between 1 and 1½ hours for completion, so allow yourself time accordingly. If you fail certain elements but pass others, you will automatically be issued a license of proper grade if the passed elements entitled you to it.

• CALL SIGNALS

Obviously every radio station needs a call signal to identify itself. In the case of military stations, these are generally arbitrarily-devised "tactical" calls which give no inkling of the location. The civil stations of the world, however, are assigned calls in accordance with an alphabetical table set up by the international telecommunications conferences, and thus it is possible to identify the nationality of a station by its call signal. "Blocks" of calls are made available to the various nations in accordance with the table hereunder. Thus, for example, any call beginning with W, K or N is seen to be a call of the United States. In many cases an initial letter is divided between two or more nations and it is therefore necessary to observe the first two letters before determining the nationality. For example, if the first two letters are XE, the station is Mexican, while if the first two letters are XS, the station is Chinese.

In the United States, whenever a three-letter call is heard (sometimes followed by a single figure) it belongs to a land station. Ship stations have four-letter calls, although such calls are also frequently used for broadcasting stations. Aircraft stations have five-letter calls. The calls of amateur and experimental stations are made up of one or two letters, a single figure, and a group of not more than three letters.

The table of international "prefixes" is shown on the adjoining page.

AAA-ALZ	United States of America	RAA-RZZ	Union of Soviet Socialist Republics
AMA-AOZ	(Not allocated)	SAA-8MZ	Sweden
APA-ASZ	Pakistan	SNA-SRZ	Poland
ATA-AWZ	India	SSA-SUZ	Egypt
AXA-AXZ	Commonwealth of Australia	SVA-SZZ	Greece
AYA-AZZ	Argentina Republic	TAA-TCZ	Turkey
BAA-BZZ	China	TDA-TDZ	Guatemala
CAA-CEZ	Chile	TEA-TEZ	Costa Rica
CFA-CKZ	Canada	TFA-TFZ	Iceland
CLA-CMZ	Cuba	TGA-TGZ	Guatemala
CNA-CNZ	Morocco	THA-THZ	France and Colonies and Protectorates
COA-COZ	Cuba	TIA-TIZ	Costa Rica
CFA-CPZ	Bolivia	TJA-TZZ	France and Colonies and Protectorates
CQA-CRZ	Portuguese Colonies	UAA-UQZ	Union of Soviet Socialist Republics
CSA-CUZ	Portugal	URA-UTZ	Ukrainian Soviet Socialist Republic
CVA-CXZ	Uruguay	UUA-UZZ	Union of Soviet Socialist Republics
CYA-CZZ	Canada	VAA-VGZ	Canada
DAA-DMZ	Germany	VHA-VNZ	Commonwealth of Australia
DNA-DQZ	Belgian Congo	VOA-VOZ	Newfoundland
DRA-DTZ	Belorussian Soviet Socialist Republic	VPA-VSZ	British Colonies and Protectorates
DUA-DZZ	Republic of the Philippines	VTA-VWZ	India
EAA-EHZ	Spain	VXA-VYZ	Canada
EIA-EJZ	Ireland	VZA-VZZ	Commonwealth of Australia
EKA-EKZ	Union of Soviet Socialist Republics	WAA-WZZ	United States of America
EIA-ELZ	Republic of Liberia	XAA-XIZ	Mexico
EMA-EOZ	Union of Soviet Socialist Republics	XJA-XOZ	Canada
EPA-EQZ	Iran	XPA-XPZ	Denmark
ERA-ERZ	Union of Soviet Socialist Republics	XQA-XRZ	Chile
ESA-ESZ	Estonia	XSA-XSZ	China
ETA-ETZ	Ethiopia	XTA-XWZ	France and Colonies and Protectorates
EUA-EZZ	Union of Soviet Socialist Republics	XXA-XXZ	Portuguese Colonies
FAA-FZZ	France and Colonies and Protectorates	XYA-XZZ	Burma
GAA-GZZ	Great Britain	YAA-YAZ	Afghanistan
HAA-HAZ	Hungary	YBA-YHZ	Netherlands Indies
HBA-HBZ	Switzerland	YIA-YIZ	Iraq
HCA-HDZ	Ecuador	YJA-YJZ	New Hebrides
HEA-HEZ	Switzerland	YKA-YKZ	Syria
HFA-HFZ	Poland	YLA-YLZ	Latvia
HGA-HGZ	Hungary	YMA-YMZ	Turkey
HHA-HHZ	Republic of Haiti	YNA-YNZ	Nicaragua
HIA-HIZ	Dominican Republic	YOA-YRZ	Roumania
HJA-HKZ	Republic of Colombia	YSA-YSZ	Republic of El Salvador
HLA-HLZ	Korea	YTA-YUZ	Yugoslavia
HNA-HNZ	Iraq	YVA-YYZ	Venezuela
HOA-HPZ	Republic of Panama	YZA-YZZ	Yugoslavia
HQA-HRZ	Republic of Honduras	ZAA-ZAZ	Albania
HSA-HSZ	Siam	ZBA-ZJZ	British Colonies and Protectorates
HTA-HTZ	Nicaragua	ZKA-ZMZ	New Zealand
HUA-HUZ	Republic of El Salvador	ZNA-ZOZ	British Colonies and Protectorates
HVA-HVZ	Vatican City State	ZPA-ZPZ	Paraguay
HWA-HYZ	France and Colonies and Protectorates	ZQA-ZQZ	British Colonies and Protectorates
HZA-HZZ	Kingdom of Saudi Arabia	ZRA-ZUZ	Union of South Africa
IAA-IZZ	Italy and Colonies	ZVA-ZZZ	Brazil
JAA-JSZ	Japan	2AA-2ZZ	Great Britain
JTA-JVZ	Mongolian People's Republic	3AA-3AZ	Principality of Monaco
JWA-JXZ	Norway	3BA-3FZ	Canada
JYA-JZZ	(Not allocated)	3GA-3GZ	Chile
KAA-KZZ	United States of America	3HA-3UZ	China
LAA-LNZ	Norway	3VA-3VZ	France and Colonies and Protectorates
LOA-LWZ	Argentina Republic	3WA-3XZ	(Not allocated)
LXA-LXZ	Luxembourg	3YA-3YZ	Norway
LZA-LYZ	Lithuania	3ZA-3ZZ	Poland
LZA-LZZ	Bulgaria	4AA-4CZ	Mexico
MAA-MZZ	Great Britain	4DA-4IZ	Republic of the Philippines
NAA-NZZ	United States of America	4JA-4LZ	Union of Soviet Socialist Republics
OAA-OCZ	Peru	4MA-4MZ	Venezuela
ODA-ODZ	Republic of Lebanon	4NA-4OZ	Yugoslavia
OEA-OEZ	Austria	4PA-4SZ	British Colonies and Protectorates
OFA-OJZ	Finland	4TA-4TZ	Peru
OKA-OMZ	Czechoslovakia	4UA-4UZ	United Nations
ONA-OTZ	Belgium and Colonies	4VA-4VZ	Republic of Haiti
OUA-OZZ	Denmark	4WA-4WZ	Yemen
PAA-PIZ	Netherlands	4XA-4ZZ	(Not allocated)
PJA-PJZ	Cumaeo	5AA-5ZZ	(Not allocated)
PKA-POZ	Netherlands Indies	6AA-6ZZ	(Not allocated)
PPA-PYZ	Brazil	7AA-7ZZ	(Not allocated)
PZA-PZZ	Surinam	8AA-8ZZ	(Not allocated)
QAA-QZZ	(Service abbreviations)	9AA-9ZZ	(Not allocated)

Code Practice


TONE SOURCES FOR PRACTICE — A CODE INSTRUCTION TABLE — COMMERCIAL PRESS SCHEDULES FOR PRACTICE

WHISTLING or "ditdahing" is only a substitute for the high-pitched sound of radiotelegraph code. Since a person beginning his code study without constant supervision is not capable of properly manipulating a telegraph key—should not touch it, in fact, until he thoroughly knows the code-sounds—he can best learn by the spoken ditdah method. Once he progresses to the point where he is ready to learn how to send, he needs a tone source which can be keyed for sending practice. Perhaps the best way is to have two people learn the code together and send to each other by means of a buzzer-and-key outfit. An advantage of this system is that it also develops sending ability, for the person doing the receiving will be quick to criticize uneven or indistinct sending. If possible it is a good idea to obtain the assistance of an experienced operator, so that you will learn how well-sent characters should sound.


Components of simple oscillators may be obtained from local radio stores, or perhaps from the "junk box" of a radio experimenter friend.

•TONE SOURCES FOR PRACTICE


A buzzer set, connected as shown in the diagram, will serve the purpose of a signal source to be keyed for code practice. A much better tone, however, since it is identical to the audio beat note a radio operator reads, is that produced by a vacuum-tube audio oscillator. The oscillator more closely simulates actual radio signals. The battery-operated audio oscillator shown at the bottom of this page is easy to construct. However, it employs batteries, which are difficult to acquire in wartime. Besides a pair of headphones



Photograph (above) and circuit arrangement (left) of a buzzer code-practice set. The headphones are connected across the coils of the buzzer with a fixed condenser in series. The value of this condenser determines the strength of the signal in the headphones. If the value shown gives an excessively loud signal, it may be reduced to 500 $\mu\text{fd.}$ or 250 $\mu\text{fd.}$




Wiring diagram (above) and layout drawing (right) of a simple audio oscillator for use as a code-practice set. All parts are mounted directly on a wooden baseboard measuring 5 X 7 inches.



and key, the parts required are an old audio transformer, grid resistor and condenser, tube and socket. For battery operation, the tube may be any $1\frac{1}{2}$ - or 2-volt filament type, such as a 1G4G,

The a.c. code-practice oscillator may be built on a homemade chassis, as shown in the bottom-view photograph at the right, with 1 × 2-inch white pine supporting strips and a baseboard of ¼-inch plywood. The 6F8G is the only component mounted on top of the chassis.



Wiring diagram of the a.c. code-practice oscillator.

C_1 — 250- μ fd. fixed mica condenser.

C_2 — 25- μ fd. electrolytic condenser, 25-volt.

J_1, J_2 — Small closed-circuit jacks.

R_1 — 0.15 megohms, ½-watt.

T_1 — 6.3-volt 1-ampere filament transformer (Thordarson T-21F08).

T_2 — Small interstage audio transformer (Thordarson T-20A16).


1LE3, 30, etc., power being supplied by a No. 6 dry cell and a 22½-volt "B" battery. The parts may be mounted on a baseboard, as shown in the layout drawing; or they may be enclosed in a portable carrying case, in which event flashlight cells and ten or more volts of "B" battery will suffice for power. If nothing is heard in the 'phones when the key is depressed, reverse the leads going to either transformer winding; reversing both sets of leads will have no effect.

If desired, an oscillator powered from the 115-volt line may be used; the hookup of a simple one is shown above. Because of its independence of batteries, which are now sometimes a little difficult to acquire, the a.c. oscillator may be preferred.

• A CODE-INSTRUCTION TABLE

The preceding material has been written primarily for the individual who must learn his code with little or no outside help. If a number of persons wish to learn the code as a group or develop speed after learning, and if a competent instructor can be located, the best method of instruction is by means of a code table.

Any such table should be so wired as to permit the instructor to send to the whole class, but by a little special wiring many other things are possible. In the one shown here, for instance, each student can practice sending, independently and to himself; yet the instructor, by means of the selector switch, can listen in on each student in turn, can break in on him and correct his errors. Moreover, simply by throwing a few switches, facing pairs of students may join in independent two-way conversations, and each such pair may be monitored in turn by the instructor — all on the one table and from the common oscillator. Bigger "nets" can be switched at will, while other students at the same table




continue practice either singly or in pairs, all under control and supervision.

The instructor should sit at one end of the table, facing down its length, the students arranged along each side. A center partition and cross-partitions make a sort of "private office" of each operating position, each with its 'phones, key and switch. The oscillator is at, or handy to, the instructor's end of the table, his controls on a low panel in front of him, running across the table.

At each student's position, a key and headset in series are bridged across the line carrying the continuously-running audio tone. The headsets (and keys) may be paralleled by closing the inter-connecting switches, each switch being associated with the position of the same number. A tap from each position is taken off to the multi-point switch (S) at the instructor's position so that the latter can also place his headset and key in parallel with those at any of the ten positions.

When the instructor sends to the entire class all the small switches are closed, connecting all positions in parallel. With all switches open each student can practice sending by himself, and the instructor can listen to any student by setting the selector switch, S , to the appropriate position. This also puts the instructor in parallel with the student at that position so that the instructor can "work" the student.

Suppose now that students are to practice together in groups of two. Closing Sw_2 connects Positions 1 and 2; closing Sw_4 connects 3 and 4; Sw_6 connects 5 and 6, and so on. The odd-numbered switches would be open in this case. The instructor can listen in on any group by setting the selector switch to either position in the group, and again can break in on the work. Larger groups can easily be formed; for instance, closing switches Nos. 2, 3 and 4 will connect positions 1, 2, 3 and 4 together; closing Sw_6 and Sw_7 will connect positions 5, 6 and 7 together, and so on.





Wiring diagram of flexible multi-position code-instruction table.

The number of positions can be extended indefinitely by following the same wiring system. Separate tables, grouping perhaps ten men to a table, can be used if the room is too small to accommodate a single table for a large class. In such a case the instructor could have a central position with a separate selector switch for each table.

The code-practice oscillator described earlier in this chapter is suitable only for two or three sets of 'phones; it is, therefore, necessary to build a special type of oscillator for use with the code table. A circuit diagram suitable for handling

up to thirty or forty headsets is shown in the diagram herewith. Operating directly from the 115-volt line, it consists of a 12SJ7 oscillator followed by a 70L7GT power amplifier and rectifier. The pitch of the tone is determined by the constants of the tuned circuit, L_1C_1 . The inductance should be of the order of 1 or 2 henrys for use with readily-available paper condensers. In the unit shown in the photographs this inductance is an ordinary small filter choke (Thordarson T-14C61) with the straight section of the core removed and a piece of wood of the same size and shape substituted so that the mounting clamp can be replaced.



A suggested form of construction for the code-instruction table. Dimensions may be varied to suit individual needs. Legs may be made of 4 X 4-inch stock; top and side rails of 1-inch boards. Appropriate bracing should be provided underneath. A coat or two of shellac after the table is finished will prevent shrinkage.


This gives a choke of approximately 1 henry inductance.

A choice of tones should be available to avoid monotony. Variable tone is secured by means of the switching arrangement shown below the main wiring diagram. With three condensers of the values indicated, an assortment of six tones ranging from about 600 to 1600 cycles can be obtained. If only one tone is needed, however, simply use the constants shown in the main diagram.

The output switch, S_1 , enables the instructor to cut off the tone from the entire class, and thus serves as a simple means of attracting attention when group work or individual sending practice is being carried on.


No specific construction is indicated for the table, since bracing and other details will depend upon the size and the builder's preferences. The important thing is to be sure each position provides enough room for the student to work comfortably. In particular there should be sufficient depth so that the key can be placed the proper distance—about 18 inches—from the edge of the table.

The interconnecting switches, Sw_1 , Sw_2 , etc., may be ten-cent-store s.p.s.t. knife switches and the instructor's selector switch a wafer-type unit. The latter can be obtained in the single-pole type with as many as 23 contacts.



The code-practice oscillator shown in the circuit diagram below, built in a $3 \times 4 \times 5$ -inch metal box. All wiring is insulated from the case.

Since no special precautions need be taken with respect to insulation or voltage drop, probably the most economical wiring job can be done by using ordinary bell wire. In cases where the stu-



Circuit diagram of a code-practice oscillator suitable for instructing large groups.

- C_1 —0.05- μ d. paper (for tone of approximately 650 cycles where $L_1 = 1$ henry); substitute shown at bottom circuit for variable tone.
- C_2 —25- μ d. electrolytic, 25-volt.
- C_3 , C_4 —0.01- μ d. paper.
- C_5 , C_6 —30- μ d. electrolytic, 150-volt.
- R_1 —2000 ohms, 1-watt.
- R_2 —0.25 megohm, $\frac{1}{2}$ -watt.
- R_3 —0.25-megohm volume control.
- R_4 —150 ohms, 1-watt.
- R_5 —3000 ohms, 1-watt.
- R_6 , R_7 —10,000 ohms, 1-watt.
- L_1 —1 henry, approximately (see text).
- L_2 —8-henry 55-ma. filter choke.
- T_1 —Universal output transformer, tube to voice coil (connected for matching 8-ohm v.c. to 2000-ohm plate load).
- S_1 , S_2 —S.p.s.t. toggle.
- S_3 —2-pole 6-position wafer switch.
- Line Cord—220-ohm built-in heater-voltage dropping resistor.

dents bring their own headsets it would be advisable to mount a tip-jack assembly at each position to facilitate connection.

● AMATEUR CODE PRACTICE

Primarily to assist persons wishing to attain amateur licenses in their code progress, the American Radio Relay League conducts regular code practice transmissions from its headquarters station, W1AW, in Newington, Conn. Approximately one hour of practice is available nightly. On Monday, Wednesday and Friday, there is ten minutes of practice at each of the following speeds in succession: 15, 20, 25, 30 and 35 words per minute. On other evenings the speeds are 5, 7½, 10 and 15 w.p.m. The frequencies used, simultaneously, are 1887, 3555, 7215, 14,100, 52,000 and 146,000 kilocycles. If you reside within a few hundred miles of Connecticut, the 1887 or 3555 kc. frequencies will probably serve you best. At greater distances, 7215 and 14,100 kc. may be more useful. Practice sessions commence at 9:30 P.M. EST except on Saturdays, at 8 P.M., with Daylight Saving Time observed during the summer months.

● COMMERCIAL PRESS SCHEDULES FOR PRACTICE

Students of code wishing to increase their copying abilities can make valuable use of trans-

missions by commercial stations at various speeds. A list of a few good sources of practice is here given. Students making use of these and other transmissions are reminded that *addressed information may not be divulged except to the addressee*, and the Communications Act provides severe penalties for violators. Do not use such transmissions for anything but code practice.

Time (GCT) ¹	Time (EST)	Call	Frequency (kc.)	Origin	Speed
0418	11:18 P.M.	WSO	125	New Jersey	25
			6,350		
			8,430		
			11,175		
0418	11:18 P.M.	WSL	5,555	New York	25
			12,675		
			11,115		
0605	1:05 A.M.	KFS	6,270	California	25
0910	3:10 A.M.	KPH	12,550	California	25
			126		
			6,370		
			8,440		
1700	12:00 NOON	DZM	12,735	Manila	25
			8,670		

¹ GCT refers to Greenwich Civil Time, a 24-hour clock system in universal use. 0000 represents midnight; 0600 is 6 A.M.; 1200 is noon; 1800 is 6 P.M.; 2400 is again midnight (same as 0000 of the following day). Persons in the Central Standard Time zone are six hours behind GCT. For example, 0630 GCT (6:30 A.M. in Greenwich, England) must be converted, by the subtraction of six hours, to 0030 or 1:30 A.M. in CST. EST is five hours behind GCT; MST seven hours; PST eight.

Class Instruction

EXERCISES IN RECEIVING AND SENDING

THE material in this book has been prepared as a text for the individual student, principally for home-study purposes. This appended section is to explain briefly the classroom technique necessary for code instruction and to present a suggested set of lessons that a class may follow.

The classroom student should be taught in terms of sound at all times. While he should understand the use of the terms dit and dah, they need not be used in learning letter-sounds; the actual code-sound of the letter in his headphones should be the student's first conception. It is obvious that only a reasonably-proficient operator should be allowed to teach; students will acquire any improper habits of a poor operator/instructor — which, once learned, will prove extremely resistant to change.

A class in code should have the equivalent of the code-training table described in the chapter on "Code Practice," with one operating position for each student up to a total of 20, the maximum which can be taught *efficiently* by one instructor. Later in the course a code tape machine, or a communications receiver to tune in slow-speed transmissions, will be found quite helpful since while one is in use the instructor may make the rounds of the class, offering individual help.

The first code-sounds should be formed at a speed of approximately 15 words per minute, with reasonably large spaces between letters to make the overall total about 5 words per minute. By forming characters at a rapid rate, they are more likely to be learned as complete sounds instead of combinations of dits and dahs. As the class progresses, spaces between words can be shortened to increase the over-all speed. The speed of transmission may be estimated by counting the total number of letters sent in one minute and dividing by 5.

No certain number of hours has been specified for the course. Instructors may take up a new lesson when approximately four-fifths of the class can copy or transmit perfectly 50 consecutive letters of the lesson under study. Some lessons may be completed in an hour's class time; others may require five or six hours.

• LESSONS IN RECEIVING

Ten lesson-groups follow, each containing adequate practice material for classroom use. It will be noted that the order of learning letter-sounds is somewhat different here than in the opening chapter. Organized class training under a competent instructor avoids certain home-

study difficulties which are best met by presentation of letter-sounds beginning with 5 and 0. The classroom system presents scientifically to the new man an interesting approach to learning the code: by taking up most-used letters first, many words and even sentences can be utilized right from the first lesson, so the student can see his progress from the start. The value of code groups has not been neglected, however; the last exercise in each lesson presents adequate coded material. The student's progress can best be graded by means of these code groups.

In each lesson the procedure should be: (1) Review the work of the previous lesson; (2) send the new characters slowly in no particular order, to accustom the students to the sound of each; at first, name the English character while its code-sound is being sent; (3) send the characters of the previous lesson indiscriminately mixed with the new ones, slowly and in no particular order; (4) send the characters of both lessons in the form of words and sentences, gradually increasing their lengths.

Lesson One:

The instructor should spend a preliminary period lecturing on the introductory material in the first chapter of this book, including the timing and rhythm exercises, but using the tone source along with dith and whistling.

Lesson Two:

Characters used: E T O A N I S

Practice material:

AN	NO	ON	IT	TO	SO
IS	OAT	TAN	TEN	ONE	ANT
NIT	TOT	NET	TIE	ETA	TIN
TOE	SON	SIN	SIT	SET	ASS
SEA	INTO	TENT	TONE	ANON	NINE
NEAT	TOTE	TOOT	NONE	TEAT	TINT
ETON	STONE	EASE	SENT	TAINT	STINT
EATEN	STONE	TOAST	TEASE	SNOOT	SENSE
STAIN	TASTE	TENSE	SEASON	TONITE	SONNET

- SIN NO ONE
- IT SENSES TASTE
- NONE IS SENT
- SNOOTS EAT OATS
- NO SEASON IS SET
- SONNIE BAT ON A TIN TEST
- IT TOASTS IN TEN TASTE
- AN OASIS IN NEAT EASE
- TIE A NINETEEN TON STONE TO A TENT
- TOAST IS EATEN AT ETON
- STAINS TAINT ONES NEATNESS
- TOTE A STONE TO TENNESSEE
- SONNET SEASON IS AT NITE
- IT IS NOT TEA
- ETA IS A NOTE
- NO SENSE IN EASE
- STAINS TINT A SEA
- ASSES NET NO SENSE

ETO	ANI	SIN	AOT	ESI
SAOT	NITN	SOOE	IATE	ANOE
SINES	TOEIS	NAOTE	ONTIS	ESTAO
ENTOIS	TOOSEI	OENTST	ANSENO	NANOSE

Lesson Three:

New characters used: R E D U C M L

Practice material:

RAT	RUN	RUT	RICE	RUSH	RASH	RADIO
HAD	HUM	HAM	HAND	HELM	HULL	HOUSE
URN	TEE	NUT	UNIT	UNDO	URAL	UNDER
DAD	DAM	DON	DUDE	DICE	DOLT	DUNCE
COT	COD	CAM	CHIT	CORD	CURT	CHORD
MAN	MAD	MET	MOSS	MICE	MODE	MODEL
LAD	LET	LID	LEAD	LORE	LUST	LURID

REDUCE	RADICS	RANCID	RADICAL	MARCONI
HALTER	HUDDLE	HORROR	HUMIDOR	ULTIMATE
ELSTER	UNLACK	URCHIN	UNARMED	STATION
DOLLAR	DISCUS	DANCER	DUCTILE	RESISTOR
COLLAR	CRITSE	CUDDE	COLLIER	ANTENNA
MUDDLE	MURMUR	MOTHER	MIRACLE	AERIAL
LEADER	LANCER	LUSTRE	LECTURE	COIL

TRANSMITTER	CHROMOSOME	MEDITERRANEAN
RADIATION	DASTARDLINESS	NECESSITARIANISM
OCCLUDED	CHROMIUM	OMNISCIENCE
ANTHRACITE	EDUCATIONAL	RESIDENTIAL
AMERICAN	THERMITE	SANITARIUM

- HAMS ARE ACTORS TOO.
- MIRACLES SELDOM OCCUR.
- MUSIC HATH LOTS OF CHARM.
- MAD CATS MURDER MICE.
- SEND CODE AND SUCCEED.
- SOME DANCERS ARE CRUDE.
- HENS HATCH SMALL ROOSTERS.
- MORSE CREATED THIS MIRACLE.
- CURSES ON ALL HEARSEs.
- RURAL HOUSES ARE HUMID.
- ANTHRACITE COAL IS HARD.
- RESISTANCE IS MEASURED IN OHMS.
- UNCLE SAM NEEDS US ALL.
- THE SUN SHINES IN CONNECTICUT.
- CODE CLASSES ARE LITTLE TOIL.
- CHARACTERS ARE DOTS AND DASHES.
- CODE IS HEARD NOT SEEN.
- MARCONI LECTURED ON CURRENT RADIATION.
- AMATEUR RADIO IS AS OLD AS THE RADIO ART.

URT	HLU	ADC	CIM	SLE
LTRH	GAUD	NICM	SRHL	MAUE
HSNDXN	RHUAC	ODNCL	SICDO	IUHER
TCODME	ADHRHU	CNDTRU	SLMIRU	LSEIRC

Lesson Four:

New characters used: P F W Y G B

Practice material:

POW	PEP	PIG	PAGE	PYRE	PITY	POPPY	PUFFY
FOP	FRY	FIG	FROG	FLOW	FILE	FABLE	FOGGY
WEB	WON	WHY	WHIG	WOLF	WING	WHIFF	WEIGH
YIP	YOU	YEG	YOWL	YELF	YAWN	YOUNG	YACHT
GOB	GYP	GIN	GLOW	GASP	GRUB	GABLE	GLOBE
BOY	BEG	BIT	BANG	BEEF	BLOB	BADGE	BEFOG

PACIFY	PEEBLE	PHEGM	PEPPERY	AFFLICT
FREEBLE	FIDGET	FLINTY	FAIRWAY	BABYLON
WAFFLE	WEAPON	WINDOW	WAYWARD	CABBAGE

DEPOSITORY	ELECTROTYPE	FISHWIFE
PYGMY	GUYWIRE	TAPE
ALPHABET	PRACTICE	MESSAGE
SUPERHET	GEAR	SIGNAL
CAPACITY	FLYWHEEL	FILTER
CRYSTAL	PURPOSE	STABILITY
FACTOR	BEATNOTE	AMPLIFIER

- EPIGRAMS SAY MUCH IN FEW WORDS.
- WHAT IS WORTH DOING IS WORTH DOING WELL.

- FORTUNE BEFRIENDS THE BOLD.
- ILL BLOWS THE WIND WHICH PROFITS NOBODY.
- WINGS FLY FAST.
- WHIFFS OF FOG PACIFY FEEBLE AFFLICTIONS.
- BOYS YELP WHEN BIT BY DOGS.
- A PUFFY BLIMP IS A PEPPERY FISHWIFE.
- PENTODE AMPLIFIERS RELAY POWERFUL SIGNALS.
- RUBBER WHEELS AFFECT RIDING COMFORT.
- PUT YOUR FLYWHEEL IN GEAR.
- GASP AND YOWL BUT BUY DEFENSE BONDS.
- WHOOOP IT UP BEFORE DYING.
- LIGHT GLOBES GLOW WITH POWER.
- TIGHTEN CAP BEFORE TIPPING.
- THE BADGE OF COURAGE IS WON BY PLUGGING.
- ALWAYS COPY BEHIND IF POSSIBLE.
- BICYCLE RIDING CAUSES PUFFING.
- COPYING BY TYPEWRITER IS GOOD PRACTICE.
- PYGMY GUYWIRES PUT STRENGTH INTO POLES.

HFM	ODW	AUY	NCG	IMB
FILEP	PRTF	YUOW	WDAY	BMNG
BCADF	GUOHP	YDTRB	WHEMG	FRSCY
PSDGB	FUIXMV	AWPFW	GHORBG	WRNFEY

Lesson Five:

New characters used: J K Q X Z V

Practice material:

JET	JUNK	JAVA	JERK	JACOB	JAPAN	JELLY
ASK	KINK	KEEP	KALE	KHAKI	KNACK	KNAVE
QUO	QUIT	AQUA	QUIZ	QUICK	QUAIL	QUEEN
JIM	OXEN	AXLE	XRAY	EXACT	AXIOM	OXIDE
ZOO	ZERO	JAZZ	ZING	AZURE	CRAZY	ZEBRA
IVY	VINE	HAVE	VOID	VIVID	AVAIL	EVERY

JACKAL	JERKIN	JOVIAL	JONQUIL	ZENITH
KIBITZ	KINGLY	KAISER	KICKOFF	EMBEZZLE
QUARTZ	QUAVER	QUORUM	ACQUIRE	PULVERIZE
PICKAX	EXCUSE	XERXES	EXPLAIN	GRAZE
ZEPHYR	ZIGZAG	ZOUNDS	BUZZARD	OXYGEN
VIXENS	VELVET	VIKING	VICTORY	QUADRUPLE

- JACOB ASKED THE KING FOR QUARTZ OXIDE.
- QUICK AXIOMS AVOID UNJUST TAXES.
- QUIZZES QUICKEN THE REFLEXES.
- JOVIAL KIBITZERS ARE VERY OBNOXIOUS.
- JAPANS JUNK QUILTS QUICKLY.
- EVERY QUEEN KEEPS JONQUILS.
- HEXAGONAL KNUCKLES HAVE CRAZY KINKS.
- XERXES EXPLAINED THE QUICK VICTORY.
- VELVET QUAIL GRAZE IN ZOOS.
- KINGLY BUZZARDS QUAVER IN AZURE SKIES.

JPR	SNQV	QYLGW	ZKJFBG
FKH	JAHK	XWOFZ	RHKPVO
DQW	ZGVM	KPCAJ	QLFPDQ
XYU	XYUT	BZLNK	XMZJNU
ZGM	ZWDO	IVKQW	YKWZBG
BVC	KBLI	YJCTV	HSIXJA
QPX	JFRE	EQSXR	MCVXXQ

Beginning with the next lesson, instructors may make good use of newspaper and other text for practice material.

Lesson Six:

New characters used: 1 2 3 4 5

Practice material:

215	3242	34125	244521
431	2151	42153	352142
234	4531	33214	332312
551	5324	24115	545134
422	1543	53425	152342
342	3154	14523	453152
351	2231	21435	514324

AE1	CP2X	3Z4BJ	123VJQ
3T5	14B3	XY251	W3X5AM
420	F3G4	3KP14	435PT1
N43	EAR5	RY311	AW1JOZ
2MC	424V	14V4U	2UV4JB
HT5	DIJ3	L3VJ4	XU4PY1
425	412V	21JJ2	58H32W

Lesson Seven:

New characters used: 6 7 8 9 0

Practice material:

807	9708	77689	907700
906	0069	90870	806970
760	7087	68096	688079
896	0869	86970	087008
707	8776	09906	786006
098	8609	87780	779680
807	7068	87609	696087

196	3874	62840	647350
245	1028	17395	821073
837	5603	61723	489625
604	7495	89450	107446
932	1620	42417	829310
758	4835	39850	593758
103	2071	59636	621054

C3B7	Q78G	F3M0J	Y0UBC	A1B3C2	9105P4
JW19	H5H8	132R5	WJY41	4D6F5E	Q6U3V4
47BE	4CY3	91APV	90X23	9HG7J1	SM3801
X022	ZK67	K176B	PQ954	8L0KMX3	6Q7GT

Lesson Eight:

At the conclusion of the seventh lesson, most students should be able to recognize letters and numerals immediately when heard. If not, more practice is indicated, especially on the characters causing trouble. It will be helpful to send some words containing letters frequently confusing to the beginner such as G-W, F-L, O-S P-X, Y-Q.

GOWN FILM ARK JAW OASIS APEX QUERY
WAGER LEAFLET WORKER BLOSSOM EXPERT

The following sentences employ every letter of the alphabet:

- THE EXPLORER WAS FROZEN IN HIS BIG KAYAK JUST AFTER MAKING QUEER DISCOVERIES.
- WHENEVER THE BIG BLACK FOX JUMPED THE SQUIRREL GAZED VERY SUSPICIOUSLY.
- MY HELP SQUEEZED IN AND JOINED THE WEAVERS AGAIN BEFORE SIX O'CLOCK.
- WE DISLIKE TO EXCHANGE JOB LOTS OF SIZES VARYING FROM A QUARTER UP.
- A QUART JAR OF OIL MIXED WITH GOOD ZINC OXIDE MAKES A VERY BRIGHT PAINT.
- WHILE MAKING DEEP EXCAVATIONS WE FOUND SOME QUAIN BRONZE JEWELRY.
- SIX JAVELINS THROWN BY THE SAVAGES WHIZZED FORTY PAGES BEYOND THE MARK.
- THE PUBLIC WAS AMAZED TO VIEW THE QUICKNESS AND DEXTERITY OF THE JUGGLER.
- WE QUICKLY SEIZED THE BLACK AXLE AND JUST SAVED IT FROM GOING PAST HIM.
- THE JOB REQUIRES PLUCK AND ZEAL FROM EVERY YOUNG WAGE EARNER.

Lesson Nine:

New characters used: Comma, period, interrogation, double dash (BT), end of message (AR), end of communication (VA), wait (AS), fraction bar (DN).

Practice material:

Continue practice of plain text, now including punctuation. It is not necessary to conduct instruction in more rare punctuation until the student progresses somewhat further.

Also, send the students some messages in standard form, using all procedure signals necessary in the process (see chapter on operating). Send some with texts in the form of cipher groups as well.

Lesson Ten:

To acquaint the student with receiving conditions as he will find them in actual radio communication: Play a couple of broadcast receivers while giving the students practice; or have some of the class engage in audible conversation.

If communications receivers are available, tune in code signals that can be heard while practice is going on. Decrease volume of the practice tone source. Vary tone and stability of the source. Use commercial press schedule transmissions for code practice.

LESSONS IN SENDING

The chapter on "Learning to Send" should be thoroughly re-read at this point. It will serve as an outline of lesson material, additional practice exercises being given herewith. When taking up new material, the instructor should first send the characters he wishes his students to learn, and then have them repeat individually after him. Characters can then be combined to form words, sentences and code groups for additional practice. Here again, the instructor should thoroughly review a preceding lesson before attempting new material. While learning to send, the student's speed of transmission should be kept low until he demonstrates ability to send all the characters correctly.

Lesson One:

This period should be devoted to learning proper posture, grip of key, hand and wrist movements, and exercises in sending multiple dits and dahs, as outlined in the sending chapter.

Lesson Two:

Characters used: E I S H 5 T M O 0

Exercises:

- | | | | | |
|-----|------|-------|--------|-----------|
| SEE | MOST | SHEET | MISSER | HEMOTH |
| HOT | HISS | THEME | THESS | HOSTESS |
| SIT | EMIT | MOIST | ESTEEM | SOMETIMES |
| HOE | TOSS | HOSTE | SMOOTH | MOTTOES |
| OHM | THEM | SHOOT | SETTEE | SIMMER |
| 595 | 9559 | 59595 | 559959 | 595959 |
- SEE ME HOME SOME TIME.
 - HIS TEETH SEEM A MESS.
 - MISS THIS SHOT.
 - THIS IS HIS HOME TOO.
 - I SEEM TO OMIT IT SOMETIMES.
 - OTTO MEET HIM THIS TIME.
 - HE OMITTS THE ITEMS HE MISSES.
 - THE HOE HIT ME THIS TIME.
 - THIS IS OTIS SHOE.
 - HE HIT HIS HOSTESS 50 TIMES.

Lesson Three:

New characters used: A R L W J I P

Exercises:

- | | | | | | |
|-----|------|-------|--------|--------|----------|
| LIL | WILI | LAIR | PLATE | HAWSER | PALATE |
| OWL | PASS | LAME | SPELL | ATTIRE | RAPIER |
| LAW | MAIL | PAIL | ALERT | HAWAII | WALLOP |
| APT | REEL | PEAR | JEWEL | ASHORE | RESISTOR |
| PAR | TRIP | RAIL | REPEL | ARTIST | LASSOES |
| JAP | LAST | WASH | RALPH | JESTER | JEEPERS |
| RIP | JAIL | POLAR | WHILE | AERIAL | REMORSE |
| 591 | JOWL | TRIAL | RATHER | JEWISH | JARMINE |
| JIM | 5195 | 59191 | 515919 | PALLOR | 95199 |

- a) RALPH PASS THE PLATE.
b) ALERT HAWAII RESISTS JAPS.
c) THE LAW REPELS LAME JESTERS.
d) HE WILL LET LIL SPELL RESISTOR.
e) REAL AERIALS ARE JEWELS.
f) JEWISH HATS ARE APT ATTIRE.
g) RATHER PALE PALLOR APPEARS AT HIS JOWL.
h) HAWSER REELS WASH ASHORE.
i) PHILIP WALLOPS THE ARTISTS JAW.
j) POLAR MAIL IS SLOW.

Lesson Four:

New characters used: U F 2 V 3 4

Exercises:

AVE	FIVE	HUMUS	MUSEUM	SITUATE
EVE	FUSE	STOVE	FERVOR	ISTHMUS
SUE	FIFE	SHAFT	RAFFLE	FAVOR
IOU	VILLE	UNFIT	FAMOUS	FEVER
OFF	JAVA	SIEVE	VELLUM	SHOUT
FLU	SURE	RUFUS	VERSUS	FRUIT
VIA	OVUM	PUFFS	FURROW	VOLUME
234	4132	56312	154362	123456

- a) FAMOUS FRUITS PUT FLAVOR INTO LIFE.
b) SUE SURE HAS FLU.
c) EVE MUST VOTE VIA RUFUS.
d) ASSUME THE STATUS OF SOVIET RUSSIA.
e) AUTOISTS MOUNT VAST SUMMITS.
f) LET US VETO THE ISSUE OF UTAH.
g) FROM HUMUS ISSUES SCUM AND MUSS.
h) MUFFLE THE SHOUTS FROM JAVA.
i) PURSUE THAT AUTO SOUTH.
j) OUR SUITS ARE SURE FAMOUS.

Lesson Five:

New characters used: N D B 6 8 9 X

Exercises:

BOX	608	OXEN	OXIDE	1094	DEXTER
NED	BOND	629	BANAL	BUBBLE	EXPAND
DEN	NEXT	DUMB	DEBUT	DIDDLE	40153
BUS	DRAW	DIXIE	ANNEX	BINDER	ABANDON
AXE	EXAM	EXTRA	NINTH	DINNER	BENEATH
BID	NED	BUXOM	NOBLE	BAXTER	DENTIST
SIX	BURN	BOUND	EDITION	DEXTRIN	AMBITION

- a) ABANDON BURNED OXEN FOR DEAD.
b) ONE MAN DID NOT BET.
c) BAD ADDITION MADE NED DUMB.
d) EXTRA BOXES ARE NEEDED IN MADISON.
e) BOBS AMBITION MADE HIM BANAL.
f) DONT MENTION DRAW SUBJECTS AT DINNER.
g) SEND NO NOTES ABOUT DISUNITED NATIONS.
h) EXPANDED BASES NEED EXTRA MEN.
i) INSANE INDIANS BEHEAD BUXOM DAMES.
j) NOT DEXTRIN BUT OXIDES NEED BE USED IN DENTAL LABORATORIES.

SENTIENT ENTENTE UTTER TRANSCONDUCTANCE EVASIVE JUJUTSU KHANATE QUOIT
OINTMENT MENTION ONION ONTOGENY REENTER FAFNIR IRRIS TMESIS CENTENNIAL
SENTIMENT SEDIMENT MENDACIOUS OUSTER STERLING LINGERIE AERIAL ALUMINUM NUMB
TOMFOOLERY ERRONEOUSNESS ETESIAN JANISSARY JINRIKISHA SHAH NIFLHEIM NUMBERED
ZENANA NATANT TANTAMOUNT ANTECEDE EDELWEISS XANTHIPPE PEPWERMINT MINIMIZE
ZETHUS NAUSICAIA HEXAHEDRON

MISSTRESSSHIP TETEATETE DEBILITATE PUNXSUTAWNEY MUTAUL ZIGZAG YTTERRBIUM
MAMMA ENSIFORM XYST MNEMONIC ENFEOFF BREVET XYLYLENE TSETSE BREE SHIRR
ATAXIA HESSIAN ATTESTATION OSSEOUS TATARIAN UTLANDER WHEEEZE CHLOROPHYLL
DEVISEE MISSISSIPPI HOMONYM JNNEE ICHNEUMON ZOOPHYTE LYDITE NAIVETE PYJAMA
REREDOS QUEUE VIVIVOCE GEISHA SKOVVEHEN ONOMATOPOEIA ULULATE YWAINA TIRESIAS
32343B SCHEHERAZADE ISIS FORESHEET XIPHODIAN MNEMONIC ERRATIC

TANTALUM UMLAUT AUTUMN MNEMONICS ICHTHYOPHAGOUS NICITATING NIHILISM TEUCRI
ISEULT TENNESSEE JEREED ORIENTATE JEQUIRITY SIESTA ARIES SIMOOM SIRENIAN
APPANAGE PATENTEE YTTIRIA LAITY UDOMETER ERRANT VITEBSK ANTEATER AORTA
BACCARAT DEIFY COOPERAGE FANFARONADE TIENSIN GENRE HAWAIIAN QUARTERN KANAKA
KAYAK LIGNIN NITER DROHOBYCZ VERISIMILITUDE WAPITI VALLETTE CACATECAS 7M3432
LAUTTASAARI ENZYME MELLIFLUENCE BYSSUS VALUVULAR FINDESIECLE

Lesson Six:

New characters used: G Q Z 7 K C Y

Exercises:

GUY	QUAY	GOOFY	GALLEY	KNUCKLE
COG	QUIZ	QUICK	QUARTZ	OXYGEN
QRA	AGED	CRAZY	KIBITZ	JONQUIL
DIZ	ZERO	KNACK	KINGLY	EXCUSE
KIN	KICK	CHECK	CAKCLE	13579
KEY	CODE	YACHT	PACIFY	GAZELLE
COY	COPY	QUACK	654720	73737
EKE	8714	96472	ZONITE	QUIRKS
719	1357	PYGMY	KAZOO	COCKY

- a) GOOFY PYGMY COGITATES QUIZZICALLY.
b) JONQUILS GLORIFY KINGLY PACIFIC YACHTS.
c) QUACKS CANT COPY CRAZY CODE GROUPS.
d) KIBITZERS EXCUSE MY KNACK OF CACKLING.
e) INQUIRING SCIENTISTS CHECK OXYGEN MASKS.
f) PSYCHIC CRYSTAL GAZERS EKE CRAZY QUIRKS.
g) AGED CYGNET HECKLES YOUNG GAZELLE.
h) DIZZY QUIZZES QUICKLY GYRATE MINDS.
i) GALLEY COOK SCRUBS DECKS WITH ZONITE.
j) CUT ZIRCONIUM QUARTZ TO 700 KILOCYCLES.

At this point the instructor should conduct a general review of Lessons One through Six, including: additional practice in sending characters causing trouble to particular student; sending of plain text by students, instructor to comment on quality; sending of coded groups by students, instructor likewise to comment.

Lesson Seven:

New characters used: Common punctuation marks and procedure signals learned in a comparable receiving lesson.

Exercises:

In addition to sending of plain text with elementary punctuation included, students should send some messages in standard form, using all the necessary procedure signals; instructor to listen and comment, showing the correct method if any errors occur.

Lesson Eight:

Instruction from this point may take the form of lectures and exercises based on the "advanced" chapters of this booklet, covering high-speed operation, typewriter copy, bug sending, general operating data, etc.

— — — — —

Selections from the following text will be useful as practice material in tests for accuracy of copy. Speed of transmission should be somewhat below the average of the class, since this is exceedingly difficult text:

Other ARRL Publications

THE RADIO AMATEUR'S HANDBOOK

The authoritative radio manual used extensively by engineers, laboratories, the armed forces, schools, amateurs. Complete basic theory and full directions on how to build test and measuring instruments as well as communication equipment for reception and transmission on high frequencies, VHF and UHF. Contains 57 pages of vacuum tube data. Thorough discussion of power supplies, mobile equipment, antennas, and various phases of operating an amateur radio station. **\$3.00**

THE ARRL ANTENNA BOOK

Theoretical explanation and complete instructions with diagrams and patterns for building different types of antennas for amateur work. Beams for VHF and UHF, many antennas for all amateur frequency bands. Transmission lines are exhaustively discussed. **\$1.00**

HINTS AND KINKS

Whatever the radio problem, whether in hook-up, use of tools, gadget design, instrument adjustment, it's probably been solved by an amateur's ingenuity. Hints and Kinks contains 222 of these practical solutions plus a 32 page Surplus Conversion Section. **\$1.00**

HOW TO BECOME A RADIO AMATEUR

The book that points the way for the prospective amateur—with complete information for the Novice. It tells how to get on the air. Contains directions for building 3 complete amateur radio stations, hints on learning the code, elementary theory of radio, table of frequency bands assigned to amateurs. **\$0.50**

A COURSE IN RADIO FUNDAMENTALS

Ideal for home study, this book covers a carefully worked out and thoroughly tested course to be used in conjunction with the Handbook. Its 8 sections contain 35 assignments and 40 experiments with answers in the back of the book for the questions in each assignment. **\$0.50**

THE RADIO AMATEUR'S LICENSE MANUAL

The several new classes of amateur operator license have required the doubling in size of our License Manual—the booklet which tells you what you must do to pass the government examinations, and how to do it. It makes a simple and comparatively easy task of what otherwise might seem difficult. In addition to a large amount of general information, and the complete up-to-date amateur regulations, it contains questions and answers such as are asked in the FCC examinations for Novice, Technician, Conditional, General and Advanced Classes of amateur license. If you know the answers to the questions in this book, you can pass the examination without trouble. **\$0.50**

THE ARRL MAP

Radio data by ARRL; cartography by Rand-McNally. Modified azimuthal projection gives U. S. amateurs direction and distance to any place in the world. Shows 267 countries with prefixes printed on them, boundaries of the six continents, time zones, principal cities, scale of miles and kilometers. On heavy map paper, 40" x 30" in eight colors. **\$2.00**

LIGHTNING CALCULATORS

For engineers, experimenters, amateurs. They make struggling with formulas unnecessary. Radio Calculator (Type A) has scales giving direct answers to problems involving frequency, inductance, capacity, "how many turns." Ohm's Law Calculator (Type B) is the time saver for questions regarding voltage, current, resistance. Both are printed in color.

Either type, each \$1.00

— 38 LA SALLE ROAD —

THE AMERICAN RADIO RELAY LEAGUE, INC.

— WEST HARTFORD 7, CONNECTICUT —

